


A close-up photograph of a hand holding a Knipex adjustable wrench. The wrench is silver with red handles and is being held over a red toolbox. Inside the toolbox, various other tools are visible, including a pair of red-handled pliers, a blue-handled screwdriver, and a large metal nut. The Knipex logo is prominently displayed in the upper right corner of the image.

**KNIPEX**<sup>®</sup>

**KNIPEX** HVAC & Plumbing Catalog | [www.knipex-tools.com](http://www.knipex-tools.com)





**KNIPEX engineers pliers  
for masters of craft  
who - like us -  
refuse to compromise.**

Born from a history  
of German innovation  
and unmatched quality,  
Craft is honed,  
trust is earned,  
and precision  
defines excellence.








**KNIPEX**®


# TubiX® Pipe Cutters



- > QuickLock single-handed quick adjustment enables the cutting wheel to slide to any pipe diameter with a single press of the thumb
- > Cuts copper, brass, stainless, and high-grade steel quickly and easily
- > High-quality needle bearings enable the cutting wheel and four guide rollers to operate with ease
- > Cutting wheel made of high-grade ball-bearing steel
- > Spare cutting wheel stored in the handle for quick replacement

## TubiX Pipe Cutters

	KNIPEX #	↔ Inch	Cutting Capacity	
			Ø inch	Ø mm
	90 31 01 SBA	3	1/8 – 1 1/8	3 – 30
	90 31 02 SBA	7 1/4	1/4 – 1 3/8	6 – 35
	90 31 03 BKA	10 1/4	1/4 – 3	6 – 76
	90 31 03 E01	Replacement deburring tool for 90 31 03 BKA		
	90 39 02 V01	Replacement cutting wheel and needle bearing, works on all three tools		
	90 39 02 V02	Replacement deburring tool for 90 31 02 SBA		
	90 39 02 V03	Replacement set of 5 cutting wheels and needle bearings, works on all three tools		





# Pipe Cutters for Plastic Pipes and Hoses



The wide support base aligns the hose at a perfect right angle to the blade

## Pipe Cutters

- > Pipe and hose cutters that cleanly cut a variety of materials
- > Opening spring and locking device
- > Handles made of fiberglass-reinforced plastic
- > Not suitable for cutting cables
- > Blade made of high-strength special grade steel, oil-hardened and tempered

## BiX Pipe Cutter

- > Cuts pipes cleanly without shavings
- > Blade unit can be turned 180 degrees
- > Includes two spare blades integrated in the tool

### Pipe Cutters

	KNIPEX #	Material Type	↔ inch	Cutting Capacity Ø inch
	90 10 185	pneumatic	7 1/4	3/16 – 3/4
	90 20 185	flexible hose and PVC	7 1/4	up to 1
	90 29 01	spare blade for 90 10 185 and 90 25 185		
	90 29 185	spare blade for 90 20 185		

### BiX Pipe Cutter

	KNIPEX #	Material Type	↔ inch	Cutting Capacity Ø inch
	90 22 10 BKA	thin walled PVC	2 3/4	3/4 – 2
	90 22 10 E01	spare blade for 90 22 10 BKA		



# Pipe Cutters for Plastic Composite Pipes



> Features an opening spring and locking lever






### Features for 90 25 25

- > The rotating cutting wheel penetrates the pipe effortlessly with minimal deformation
- > For cutting aluminum composite and plastic conduit pipes
- > Allows for very short cuts

### Features for 90 25 40

- > For cutting thick walled plastic and composite pipes
- > Cuts pipes according to the ratchet principle
- > Self-adapting pipe support positions pipes of various diameters correctly for a straight cut

Pipe Cutters

	KNIPEX #	Material Type	↔ inch	Cutting Capacity Ø inch
	90 25 25	aluminum composite and plastic conduit	8 1/4	up to 1
	90 25 40	thick walled plastic and composite	8 1/4	1 – 1 37/64
	90 25 25 E01	spare cutting wheel for 90 25 25		
	90 29 15	calibration arbor		
	90 29 40	spare blade for 90 25 40		



# Cobra® Water Pump Pliers



- > Push-button mechanism – adjust once and it stays
- > Self-locking on pipes and nuts means no slipping off the workpiece
- > Gripping surface with special hardened teeth (approx. 61 HRC) is wear resistant and grips any shaped object – round, square, hex or flat
- > Fine-adjustment provides an optimum adjustment to different size workpieces
- > Pinch guard prevents operators' fingers from being pinched

Cobra Water Pump Pliers


	KNIPEX #	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	87 00 100 SBA	Cobra XS Pliers	4	1	11	texturized
	87 01 125 SBA	Cobra Pliers	5	1 1/16	13	non-slip plastic
	87 01 150 SBA	Cobra Pliers	6	1 1/4	11	non-slip plastic
	87 01 180 SBA	Cobra Pliers	7 1/4	1 1/2	18	non-slip plastic
	87 01 250 SBA	Cobra Pliers	10	2	25	non-slip plastic
	87 02 250 SBA	Cobra Pliers	10	2	25	slim comfort grip
	87 21 250 SBA	Cobra QuickSet Pliers	10	2	25	non-slip plastic
	87 01 300 SBA	Cobra Pliers	12	2 3/4	30	non-slip plastic
	87 02 300 SBA	Cobra Pliers	12	2 3/4	30	comfort grip
	87 21 300 SBA	Cobra QuickSet Pliers	12	2 3/4	25	non-slip plastic
	87 01 400 SBA	Cobra XL Pliers	16	3 3/4	27	plastic dipped
	87 01 560 US	Cobra XXL Pliers	22	4 3/4	20	plastic dipped



# Alligator® Water Pump Pliers




- > Self-gripping jaw design won't slip
- > Gripping surface with special hardened teeth (approx. 61 HRC) is wear resistant and grips any shaped object – round, square, hex or flat
- > Easy access to the workpiece due to slim size in the head and joint area
- > Box-joint design provides directional stability
- > Pinch guard prevents operators' fingers from being pinched



## Alligator Water Pump Pliers

	KNIPEX #	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	88 01 180 SBA	7 1/4	1 1/2	9	non-slip plastic
	88 02 180 SBA	7 1/4	1 1/2	9	comfort grip
	88 01 250 SBA	10	2	9	non-slip plastic
	88 02 250 SBA	10	2	9	slim comfort grip
	88 01 300 SBA	12	2 3/4	9	non-slip plastic
	88 02 300 SBA	12	2 3/4	9	comfort grip
	88 01 400 SBA	16	3 3/4	11	plastic dipped





# Pliers Wrenches



- > Replaces a full set of open-end wrenches
- > Available in a black finish or chrome
- > Smooth jaws for damage free installation of plated fittings - working directly on chrome
- > Excellent for gripping, holding, pressing and bending
- > Laser-etched scale allows the wrench opening to be set before gripping onto workpiece
- > Parallel jaws allow infinitely variable gripping of all widths to the specified maximum size

Pliers Wrenches

	KNIPEX #	Description	Finish	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	<b>86 01 180 SBA</b>	Pliers Wrench	black	7 1/4	1 1/2	15	non-slip plastic
	<b>86 01 250 SBA</b>	Pliers Wrench	black	10	2	19	non-slip plastic
	<b>86 01 300 SBA</b>	Pliers Wrench	black	12	2 1/2	24	non-slip plastic
	<b>86 04 100 SBA</b>	Pliers Wrench	chrome	4	3/4	10	texturized
	<b>86 03 125 SBA</b>	Pliers Wrench	chrome	5	7/8	11	plastic dipped
	<b>86 03 150 SBA</b>	Pliers Wrench	chrome	6	1	14	plastic dipped
	<b>86 03 180 SBA</b>	Pliers Wrench	chrome	7 1/4	1 1/2	15	plastic dipped
	<b>86 05 180 SBA</b>	Pliers Wrench	chrome	7 1/4	1 1/2	15	comfort grip
	<b>86 03 250 SBA</b>	Pliers Wrench	chrome	10	2	19	plastic dipped
	<b>86 05 250 SBA</b>	Pliers Wrench	chrome	10	2	19	slim comfort grip
	<b>86 03 300 SBA</b>	Pliers Wrench	chrome	12	2 1/2	24	plastic dipped
	<b>86 03 400 SBA</b>	XL Pliers Wrench	chrome	16	3 3/8	25	plastic dipped





# Jaw Protectors



- > Smooth plastic upper and lower jaw protectors easily snap into place and prevent damage to workpieces
- > Each set includes 3 pairs of protective jaws
- > Non-marring – offers an extra layer of protection for the Pliers Wrench
- > Cobra® Pliers jaw protectors have a smooth gripping surface and cover all the teeth

## Jaw Protectors for Pliers Wrenches

KNIPEX #	Description	Compatibility
<b>86 09 180 V01</b>	for 7 1/4" Pliers Wrench	fits Pliers Wrenches from 2019 - present
<b>86 09 250 V01</b>	for 10" Pliers Wrench	fits Pliers Wrenches from 2018 - present
<b>86 09 300 V01</b>	for 12" Pliers Wrench	fits Pliers Wrenches from 2020 - present



Easy to install – Just snap the upper and lower jaws onto the pliers wrench jaws



Non-marring – offers an extra layer of protection for the pliers wrench

## Jaw Protectors for Cobra Pliers

KNIPEX #	Description	Compatibility
<b>87 09 180 V01</b>	for 7 1/4" Cobra Pliers	fits Cobra Pliers from 2010 - present
<b>87 09 250 V01</b>	for 10" Cobra Pliers	fits Cobra Pliers from 2007 - present
<b>87 09 300 V01</b>	for 12" Cobra Pliers	fits Cobra Pliers from 2008 - present



Easily snaps onto gripping jaws of the 7 1/4", 10" and 12" Cobra Pliers



The protective jaws have a smooth gripping surface and cover all the teeth on the tool



# Pipe and Connector Pliers








- > Once this tool is set it stays in that position without movement until you change it, making it the ideal tool for repetitive work
- > The rounded jaws grab ahold of round pipes and connectors up to 3" diameter
- > Ideal for tightening and loosening siphon screw connections, plastic pipe fittings and round union nuts

### Features for 81 11 250 SBA

- > The innovative plastic inserts consists of dual component materials; soft blue layer and hard red layer
- > The soft jaw version is an ideal tool for plumbing applications
- > Replaceable plastic jaws for soft surfaces with diameters up to 3"
- > For gentle loosening of hoses on nozzles
- 25 adjustment positions, box-joint design for high stability

### Pipe and Connector Pliers

	KNIPEX #	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	81 01 250 SBA	serrated jaws	10	1 – 3 5/32	25	non-slip plastic
	81 11 250 SBA	plastic jaws	10	3/8 – 3	25	non-slip plastic
	81 19 250 V01	2 pairs of original hard plastic inserts for 81 11 250 SBA				
	81 19 250 V02	2 pairs of dual (soft and hard) component inserts for 81 11 250 SBA				



# TwinGrip Pliers



- > Easily grip stripped screw and bolts with the front and side gripping areas
- > Push-button adjustment - adjust once and it stays
- > Slim head design for working in confined spaces
- > Large front and side gripping capacities from 1/8" to 1 1/16"
- > Reliable gripping of flat workpieces due to the three-point system
- > Pinch guard prevents operators' fingers from being pinched
- > Durable construction due to box-joint design
- > Gripping surfaces with special hardened teeth (approx. 61 HRC)



## TwinGrip Pliers

	KNIPEX #	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	82 01 150 SBA	6	1/8 – 5/8	3	non-slip plastic
	82 01 200 SBA	8	5/32 – 7/8	5	non-slip plastic
	82 02 200 SBA	8	5/32 – 7/8	5	multi-component grip*
	82 01 250 SBA	10	3/16 – 1 1/16	7	non-slip plastic
	82 02 250 SBA	10	3/16 – 1 1/16	7	KNIPEXTEND comfort handles
	00 20 06 US4	3 Pc TwinGrip Set (82 01 150, 82 01 200 and 82 01 250)			



**KNIPEXTEND**  
TetheredTool Clips ColorCoded Clips

\*KNIPEXTEND handles will be available soon  
See page 27 for more information











# Push-Button Swedish Pipe Wrenches



- > Rapid adjustment design with push-button adjustment for quick and precise gripping. No unintentional shifting of the pliers handles and less effort required due to self locking action
- > The S-Type jaw provides a 3-contact point grip that securely handles round, square, hex and flat workpieces without slipping
- > I-Beam handle style provides more strength and operating stability than a traditional pipe wrench style
- > The handles stay close together and help to maneuver in confined areas even when the jaw capacity is at its max

Swedish Pipe Wrenches w/ Rapid Adjustment

	KNIPEX #	↔ inch	Capacity Ø inch	Handles
	83 61 010	13	1 5/8	plastic dipped
	83 61 015	16 1/2	2 3/8	plastic dipped
	83 61 020	22	2 3/4	plastic dipped
	83 60 010	13	1 5/8	—
	83 60 015	16 1/2	2 3/8	—
	83 60 020	22	2 3/4	—

Round



Hex



# Swedish Pipe Wrenches



- > Three types of head styles available - 45°, 90° and S-Type
- > The 45° and 90° head styles permit access into tight and confining workspaces
- > The S-Type jaw provides a 3-contact point grip that securely handles round, square, hex and flat workpieces without slipping
- > Serrated adjusting nut with integrated guard prevents unthreading
- > I-Beam handle style provides more strength and operating stability than a traditional pipe wrench style
- > The handles stay close together and help to maneuver in confined areas even when the jaw capacity is at its max

## 45° Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 20 010	12 1/2	1 5/8
	83 20 015	17	2 3/8
	83 20 020	22 1/2	2 3/4

## 90° Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 10 010	12 1/2	1 5/8
	83 10 015	17 1/2	2 3/8
	83 10 020	22	2 3/4

## S-Type Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 30 010	13	1 5/8
	83 30 015	17	2 3/8

Hex



Square



Round




# Gripping Pliers



- > Tightly holds round or flat material
- > Heavy-duty tools for long life
- > Adjustment screw and release lever for easy use
- > Perfect for one-handed operations
- > High clamping pressure due to toggle lever action
- > Universal Grip Pliers (40 14 250 SBA) has a unique bottom jaw that pivots automatically to adjust to any shape - flat, round, square and hex
- > Long Nose Grip Pliers (41 44 200) has a thin head for narrow areas and non-serrated gripping area for pinching off hoses


## Gripping Pliers

	KNIPEX #	↔ inch	Gripping Capacity		
			○ Ø inch	□ Ø inch	⬡ Ø inch
	40 04 180 SBA	7 1/4	1 3/8	1	1 1/4
	40 04 250	10	1 3/8	1 3/16	1 1/4
	40 14 250 SBA	10	1 11/16	1 5/8	1 3/4
	41 14 250	10	1 27/64	—	1 27/64
	41 24 225 SBA	9	1	—	1 3/16
	41 44 200	8	13/16	13/16	1 3/16





# Control Cabinet Keys



## TwinKey Universal Control Cabinet Key

- > 10 Profiles, 2 crosses, 1 key - for all common locking systems
- > For the actuation of locking systems; heating and sanitation, air conditioning, electro technology, gas and water supply and shut-off systems

## Control Cabinet and Universal Keys


- > Control cabinet keys for all standard cabinets and shut-off systems
- > Multifunctional keys for actuation of locking systems to use with control cabinets and shut-off systems for the supply of gas, water and electricity

### TwinKey




KNIPEX #	Description	↔ inch	 mm	 mm	 mm	 mm	 mm
00 11 01	TwinKey Universal Control Cabinet Key	3 3/4	5 / 6 – 7 / 8 – 9 / 10 – 11	7 – 8 / 9 – 10 / 11 – 12	3 – 5	6	6 – 10

### Control Cabinet Keys



KNIPEX #	Description	↔ inch	 mm	 mm	 mm	 mm
00 11 02	Control Cabinet Key	1 3/4	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	–
00 11 03	Control Cabinet Key	3	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	–
00 11 04	Profi-Key Control Cabinet Key	3 1/2	5 / 7 / 8	9 – 10	–	6 – 10

### Universal Keys



KNIPEX #	Description	↔ inch	 mm	 mm	 mm	 mm
00 11 06	Universal Control Cabinet Key	3 1/2	5 / 6 / 7 – 8 / 9 – 10	7 – 8 / 9 – 10 / 11	3 – 5	6
00 11 06 V01	Universal Key Construction	3 1/2	5 / 6 / 7 – 8 / 9 – 10	7 – 8 / 9 – 10 / 11	3 – 5	6
00 11 06 V03	Control Cabinet Key Doublejoint	5	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	6
00 11 07	Universal Control Cabinet Key - Pen Style	6 1/2	5 / 6 / 8	9	3 – 5	6



# CoBolt® Compact Bolt Cutters



- > Exceptional cutting performance: 60% less effort compared to conventional high leverage diagonal cutters
- > Induction hardened cutting edges (approx. 64 HRC) for cutting soft, hard and piano wire
- > Cuts materials like bolts, nails, rivets, etc.
- > Micro-structured cutting edges allow easy cutting of large cross-sections
- > Gripping surface below the joint for gripping and pulling wires
- > Notch in blade allows easier cutting of thicker objects

## CoBolt Compact Bolt Cutters

	KNIPEX #	↔ inch	Style	Cutting Capacity				Handles
				○ Ø inch	◐ Ø inch	◑ Ø inch	● Ø inch	
	71 01 160 SBA	6 1/4	straight	13/64	11/64	1/8	1/8	plastic dipped
	71 31 160 SBA	6 1/4	straight w/ notch	13/64	3/16	9/64	1/8	plastic dipped
	71 01 200 SBA	8	straight	1/4	13/64	5/32	9/64	plastic dipped
	71 02 200 SBA	8	straight	1/4	13/64	5/32	9/64	slim comfort grip
	71 12 200 SBA	8	straight w/ spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 22 200 SBA	8	20° angled w/ spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 31 200 SBA	8	straight w/ notch	1/4	13/64	5/32	9/64	plastic dipped
	71 32 200	8	straight w/ notch and spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 41 200 SBA	8	20° angled w/ notch	1/4	13/64	5/32	9/64	plastic dipped
	71 01 250 SBA	10	straight	-	7/32	5/32	5/32	plastic dipped
	71 31 250 SBA	10	straight w/ notch	-	1/4	11/64	11/64	plastic dipped

○ soft wire   ◐ medium hard wire   ◑ hard wire   ● piano wire



# Large Bolt Cutters



- > High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- > Cutting capacity of steel up to 48 HRC
- > Robust cutting edges with a hardness of (approx. 62 HRC)
- > Forged-on stopper with comfortable shock absorber
- > Good access due to very flat construction of head and joint area
- > Precise adjustment by cam bolt
- > Blade is made of chrome vanadium heavy-duty steel; forged, multi stage oil-hardened. Joint is made of special tool steel, forged.



## Large Bolt Cutters

	KNIPEX #	↔ inch	Cutting Capacity			Handles
			HRC 19 Ø inch	HRC 40 Ø inch	HRC 48 Ø inch	
	<b>71 72 460</b>	18 1/4	5/16	15/64	13/64	multi-component
	<b>71 72 610</b>	24	23/64	5/16	9/32	multi-component
	<b>71 72 760</b>	30	7/16	23/64	5/16	multi-component
	<b>71 72 910</b>	35 3/4	1/2	25/64	23/64	multi-component





# Electronics Super Knips® and Diagonal Flush Cutters for Plastic



## Electronics Super Knips

- > Precision pliers for ultra-fine cutting work for plastics, soft wires and cable ties
- > Very precisely ground and sharp cutting edges without bevel for a flush cut

## Diagonal Flush Cutters for Plastic

- > Provides a fully flush cut when cutting tie-wraps, plastic and soft metals
- > Opening spring for easy repetitive work


### Electronics Super Knips

	KNIPEX #	↔ inch	Style	Handles
	78 03 125	5	straight	multi-component
	78 61 125 SBA	5	straight	multi-component
	78 03 140 SBA	5 1/2	straight	multi-component
	78 61 140	5 1/2	straight	multi-component



### Diagonal Flush Cutters for Plastics

	KNIPEX #	↔ inch	Style	Handles
	72 01 140	5 1/2	straight	plastic dipped
	72 01 160	6 1/4	straight	plastic dipped
	72 01 180	7 1/4	straight	plastic dipped
	72 11 160	6 1/4	45°	plastic dipped
	72 21 160	6 1/4	85°	plastic dipped



# High Leverage Diagonal Cutters



- > Precision matched, induction hardened cutting edges cut soft and hard wire
- > Heavy-duty, fixed forged on axle rivet joint ensures smooth operation
- > High cutting performance with minimum effort due to optimum coordination of the cutting edge angle, transmission ratio and handle shape
- > No break-in period needed – smooth operation from the start


## High Leverage Diagonal Cutters

	KNIPEX #	↔ inch	Cutting Capacity			Handles
			Ø inch	Ø inch	Ø inch	
	74 01 140	5 1/2	1/8	5/64	1/16	plastic dipped
	74 02 140	5 1/2	1/8	5/64	1/16	comfort grip
	74 01 160 SBA	6 1/4	9/64	3/32	5/64	plastic dipped
	74 02 160	6 1/4	9/64	3/32	5/64	comfort grip
	74 01 180 SBA	7 1/4	5/32	7/64	3/32	plastic dipped
	74 02 180	7 1/4	5/32	7/64	3/32	KNIPEXTEND comfort handles
	74 01 200 SBA	8	11/64	1/8	3/32	plastic dipped
	74 02 200 SBA	8	11/64	1/8	3/32	KNIPEXTEND comfort handles
	74 01 250 SBA	10	3/16	9/64	1/8	plastic dipped
	74 02 250 SBA	10	3/16	9/64	1/8	comfort grip



**KNIPEXTEND**  
Tethered Tool Clips ColorCoded Clips  
See page 27 for more information

● medium hard wire ● hard wire ● piano wire



# High Leverage Combination and Lineman's Pliers



## Combination Pliers

- > Easier cutting, powerful gripping, bending and pulling
- > Long cutting edges for thicker cables
- > Cutting edge hardness (approx. 63 HRC) for heavy-duty cutting
- > Gripping zones for flat and round material for a variety of uses

## Lineman's Pliers

- > High leverage design requires 50% less effort compared to conventional combination pliers due to an optimized transmission ratio
- > Effective cross-hatched knurled gripping zone in the jaws for strong gripping and pulling
- > Serrated gripping zone below the joint for powerful leverage
- > Cutting edges for soft and hard wire, nails and piano wire, cutting edge hardness (approx. 64 HRC)

### High Leverage Combination Pliers

	KNIPEX #	↔ inch	Cutting Capacity			Handles
			⬤ Ø inch	● Ø inch	⊕ Ø inch	
	02 01 200 SBA	8	7/64	3/32	1/2	plastic dipped
	02 02 200 SBA	8	7/64	3/32	1/2	comfort grip
	02 01 225 SBA	9	1/8	3/32	35/64	plastic dipped
	02 02 225 SBA	9	1/8	3/32	35/64	KNIPEXTEND comfort handles

### High Leverage Lineman's Pliers

	KNIPEX #	↔ inch	Cutting Capacity		Handles
			⬤ Ø inch	● Ø inch	
	09 01 240 SBA	9 1/2	3/16	1/8	plastic dipped
	09 02 240 SBA	9 1/2	3/16	1/8	comfort grip

⬤ hard wire ● piano wire ⊕ Cu + Al multi-conductor cable, solid and multi-stranded





# Long Nose Pliers and Needle-Nose Combination Pliers



## Long Nose Pliers

- > Elastic precision tips will not deform or bend and spring back into place
- > Serrated jaws provide a strong grip
- > Half-round, tapered jaws provide a long, thin and deep reach

## Needle-Nose Combination Pliers

- > For use when working in confined areas due to the slim head design and pointed jaws (anti-twist)
- > Special convex contour provides a stable 3-point contact for secure gripping of flat parts
- > Secure 3-point gripping on flat workpieces and stable, flexible tips

### Long Nose Pliers w/Cutter

	KNIPEX #	Style	↔ inch	Cutting Capacity			Handles
			inch	Ø inch	Ø inch		
	26 11 200 SBA	straight	8	1/8	3/32		plastic dipped
	26 12 200 SBA	straight	8	1/8	3/32		comfort grip


### Angled Nose Pliers w/Cutter

	KNIPEX #	Style	↔ inch	Cutting Capacity			Handles
			inch	Ø inch	Ø inch		
	26 21 200 SBA	40° angled	8	1/8	3/32		plastic dipped
	26 22 200 SBA	40° angled	8	1/8	3/32		KNIPEXTEND comfort handles

### Needle-Nose Combination Pliers

	KNIPEX #	↔ inch	Cutting Capacity			Handles
		inch	Ø inch	Ø inch	Ø inch	
	08 21 145 SBA	5 3/4	1/8	5/64	5/16	plastic dipped
	08 22 145 SBA	5 3/4	1/8	5/64	5/16	comfort grip
	08 21 185 SBA	7 1/4	5/32	1/8	1/2	plastic dipped
	08 22 185 SBA	7 1/4	5/32	1/8	1/2	comfort grip

medium hard wire 
 hard wire 
 Cu + Al multi-conductor cable, solid and multi-stranded




# CutiX Universal Snap Knife



Tether adapter strap not included



Magnesium housing with non-slip gripping surfaces



Flat sliders prevent unintentional advancement of blade






Two spare blades stored in the handle

- > Innovative stabilization bar keeps the blade from bending for quicker cutting
- > Two separate sliders - one for blade and one for stabilization bar
- > Uses standard 18 mm snap-off blades
- > Blades can be easily replaced without tools with just a push of the button
- > Lightweight magnesium housing with non-slip gripping surfaces
- > Two spare blades stored in the handle
- > Tether attachment point can be used with the KNIPEX Tethered Tools System



## CutiX Universal Snap Knife

	KNIPEX #	↔ inch	Housing
	<b>90 10 165 BKA</b>	6 1/2	magnesium
	<b>90 10 165 E01</b>	spare stabilization bar	
	<b>90 10 165 E02</b>	replacement blades for CutiX (set of 10)	

# Electrical Installation Pliers



## Forged Wire Strippers

- > Cuts 6-32 and 8-32 screws without threading
- > Strips 10 to 20 AWG - both solid and stranded wire
- > Shear cutting blades cut NM-B, battery cable BX and MC

## Electrician's Pliers

- > 4 Functions in one pliers - grips, cuts, strips and crimps
- > For cutting soft, medium, and hard wire

## Electrical Installation Pliers

- > 6 Functions in one pliers - grips, cuts, strips, bends, crimps and deburrs
- > Stripping holes for 12 to 14 AWG
- > Crimp die for end sleeves (ferrules) 12 to 20 AWG

### Forged Wire Stripper

	KNIPEX #	↔ inch	Stripping Capacity	Cutting Capacity ⊕ Ø inch	Handles
	13 71 8 SBA	8	10 to 20 AWG	1/2	plastic dipped
	13 72 8 SBA	8	10 to 20 AWG	1/2	comfort grip

### 4-in-1 Electrician's Pliers

	KNIPEX #	↔ inch	Stripping Capacity	Cutting Capacity ● ● Ø inch Ø inch	Crimping	Handles
	13 01 614 SBA	6 1/4	10 / 12 / 14 AWG	3/32 1/16	14 – 20 AWG	plastic dipped

### 6-in-1 Electrical Installation Pliers

	KNIPEX #	↔ inch	Stripping Capacity	Cutting Capacity ● ● Ø inch Ø inch	Crimping	Handles
	13 81 8 SBA	8	12 and 14 AWG	9/16 5/32	12 – 20 AWG	plastic dipped



● medium hard wire ● hard wire ⊕ Cu + Al multi-conductor cable, solid and multi-stranded





## Anvil Shear

- > For cutting soft material such as rubber, leather and hoses
- > Opening spring and locking device
- > Tool body constructed of rolled and oil-hardened tool steel



## Electrician's Shears

- > Precision-ground blades with fine serrations for a clean, non-slip cut
- > Adapted to the hand; angled blades and optimized handle design for easier use

## Electrician's Folding Knife

- > Universal folding knife with a top quality stainless-steel German blade


### Anvil Shear

	KNIPEX #	↔ inch	Pliers	Cutting Capacity Ø inch	Handles
	94 55 200	8	chrome plated	round material up to 1 flat material up to 1 1/2	plastic coated
	94 59 200 01	spare blade for 94 55 200			

### Electrician's Shears

	KNIPEX #	↔ inch	Head	Style	Handles
	95 05 20 US	6 1/4	polished	45° angled, spring, 2 crimpers	multi-component, fiberglass reinforced plastic
	95 05 10 SBA	6 1/4	polished	straight, crimper	multi-component, fiberglass reinforced plastic

### Electrician's Folding Knife

	KNIPEX #	Unfolded Length ↔ inch	Blade Length ↔ inch	Blade material	
				Head	Handles
	16 20 50 SB	7 7/8	3 3/16	stainless steel	durable shock-resistant plastic

# Wire Rope Cutters








## Bowden Cable Cutter

- > For Bowden cables and soft wire
- > Sickle shape cutting edges surround the material and prevent the wire rope from fanning out

## Wire Rope Shears


- > All shears include thumb lock and opening spring
- > Cuts cleanly and evenly without wire ends splaying or fanning out
- > 6 1/4" version is considerably more powerful due to the box joint design
- > The 7 1/2" versions include two crimping dies for end caps on Bowden cable sheaths and ferrules for wire rope

### Wire Rope Cutters

	KNIPEX #	Description	↔ inch	 Cutting Capacity Ø inch	Handles
	95 61 150 SBA	Bowden Cable Cutter	6	1/8	plastic dipped
	95 62 160 SBA	Wire Rope Shears	6 1/4	5/32	comfort grip
	95 61 190 SBA	Wire Rope Shears	7 1/2	13/64	plastic dipped
	95 62 190 SBA	Wire Rope Shears	7 1/2	13/64	comfort grip



# 1000V Insulated Screwdrivers



## Insulated Screwdrivers

- > Handle design prevents rolling
- > Chrome vanadium molybdenum steel

For more information and warnings on our 1000V Insulated Tools visit <https://www.knipex-tools.com/insulated>

## KNIPEX 1000V Insulated Screwdrivers



	Component	Description	Tip Type	Blade Width ↔ inch	Blade Thickness ↔ inch	Shaft Length ↔ inch	Overall Length ↔ inch
	98 20 25	3/32" slotted screwdriver, 3"	⊖	3/32	1/64	3	7
	98 20 30	7/64" slotted screwdriver, 4"	⊖	7/64	1/64	4	8
	98 20 35	1/8" slotted screwdriver, 4"	⊖	1/8	1/64	4	8
	98 20 40	5/32" slotted screwdriver, 4"	⊖	5/32	1/32	4	8
	98 20 55	7/32" slotted screwdriver, 5"	⊖	7/32	1/32	5	9 1/8
	98 20 65	1/4" slotted screwdriver, 6"	⊖	1/4	3/64	6	10 3/8
	98 20 80	5/16" slotted screwdriver, 7"	⊖	5/16	3/64	7	11 5/8
	98 24 00	P0 screwdriver, 2 3/8"	⊕ P0	-	-	2 3/8	6 3/8
	98 24 01	P1 screwdriver, 3 1/4"	⊕ P1	-	-	3 1/4	7 3/8
	98 24 02	P2 screwdriver, 4"	⊕ P2	-	-	4	8 3/8
	98 24 03	P3 screwdriver, 6"	⊕ P3	-	-	6	10 5/8
	98 12 01	R1 square drive screwdriver, 3 1/8"	⦿ R1	-	-	3 1/8	7 3/8
	98 12 02	R2 square drive screwdriver, 4"	⦿ R2	-	-	4	8 3/8





# KNIPEXTEND

TetheredTool Clips

ColorCoded Clips



Quickly add a tethered connection point to any of the 150+ KNIPEXTEND ready tools. The TetheredTool clip easily connects your tool to the KNIPEX Tethered Tool System and protects against accidents caused by falling tools.



You value your time and your craft. Our ColorCoded Clips allow you to maximize both. Now you can identify the right tool at a glance and keep the process moving smoothly.



THE **GRIP**  
THAT CHANGES  
THE GAME.



# Plumbing Sets



**9K 00 80 180 US** 6-Piece Plumbing Set with Free KNIPEX Keeper Pouch

Component	Description	Handles
<b>90 20 185</b>	7 1/4" Flexible Hose and PVC Cutter	non-slip plastic
<b>82 01 200</b>	8" TwinGrip Pliers	non-slip plastic
<b>71 31 250</b>	10" High Leverage XL Compact Bolt Cutter	non-slip plastic
<b>81 11 250</b>	10" Pipe Gripping Pliers-Replaceable Plastic Jaws	non-slip plastic
<b>86 01 250</b>	10" Pliers Wrench	non-slip plastic
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic



**00 20 06 US2** 3-Piece Pliers Wrench Set

Component	Description	Handles
<b>86 03 180</b>	7 1/4" Chrome Pliers Wrench	plastic dipped
<b>86 03 250</b>	10" Chrome Pliers Wrench	plastic dipped
<b>86 03 300</b>	12" Chrome Pliers Wrench	plastic dipped



**00 20 06 US3** 3-Piece Black Pliers Wrench Set


Component	Description	Handles
<b>86 01 180</b>	7 1/4" Black Pliers Wrench	non-slip plastic
<b>86 01 250</b>	10" Black Pliers Wrench	non-slip plastic
<b>86 01 300</b>	12" Black Pliers Wrench	non-slip plastic



**9K 00 80 149 US** 8-Piece Cobra® Water Pump Pliers Set

Component	Description	Handles
<b>87 00 100</b>	4" Cobra XS Water Pump Pliers	texturized
<b>87 01 125</b>	5" Cobra Water Pump Pliers	non-slip plastic
<b>87 01 150</b>	6" Cobra Water Pump Pliers	non-slip plastic
<b>87 01 180</b>	7 1/4" Cobra Water Pump Pliers	non-slip plastic
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic
<b>87 01 300</b>	12" Cobra Water Pump Pliers	non-slip plastic
<b>87 01 400 US</b>	16" Cobra Water Pump Pliers	plastic dipped
<b>87 01 560 US</b>	22" Cobra Water Pump Pliers	plastic dipped

# Plumbing Sets



**9K 00 80 167 US** 7-Piece Pliers Wrench Set

Component	Description	Handles
<b>86 04 100</b>	4" Chrome Pliers Wrench XS	texturized
<b>86 03 125</b>	5" Chrome Pliers Wrench	plastic dipped
<b>86 03 150</b>	6" Chrome Pliers Wrench	plastic dipped
<b>86 03 180</b>	7 1/4" Chrome Pliers Wrench	plastic dipped
<b>86 03 250</b>	10" Chrome Pliers Wrench	plastic dipped
<b>86 03 300</b>	12" Chrome Pliers Wrench	plastic dipped
<b>86 03 400 US</b>	16" Chrome Pliers Wrench	plastic dipped



**00 20 07 US1** 3-Piece Alligator® Pliers Set

Component	Description	Handles
<b>88 01 180</b>	7 1/4" Alligator Water Pump Pliers	non-slip plastic
<b>88 01 250</b>	10" Alligator Water Pump Pliers	non-slip plastic
<b>88 01 300</b>	12" Alligator Water Pump Pliers	non-slip plastic



**00 20 08 US2** 3-Piece Universal Set w/ Cobra® Water Pump Pliers Set

Component	Description	Handles
<b>26 11 200</b>	8" Long Nose Pliers with Cutter	plastic dipped
<b>74 21 200</b>	8" High Leverage 12° Angled Diagonal Cutters	plastic dipped
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic



**00 20 08 US1** 3-Piece Universal Set w/ Alligator® Pliers Set

Component	Description	Handles
<b>26 11 200</b>	8" Long Nose Pliers with Cutter	plastic dipped
<b>74 21 200</b>	8" High Leverage 12° Angled Diagonal Cutters	plastic dipped
<b>88 01 250</b>	10" Alligator Water Pump Pliers	non-slip plastic



# Plumbing Sets



9K 00 80 157 US 3-Piece Pro Pliers Set

Component	Description	Handles
09 01 240	9 1/2" High Leverage Lineman's Pliers	plastic dipped
74 01 200	8" High Leverage Diagonal Cutters	plastic dipped
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic



9K 00 80 122 US 3-Piece Cobra® Water Pump Pliers Set with Keeper Bag

Component	Description	Handles
87 01 125	5" Cobra Water Pump Pliers	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
87 01 300	12" Cobra Water Pump Pliers	non-slip plastic
9K 00 90 12 US	Keeper Zipper Bag, Empty	—



9K 00 80 147 US 2-Piece 10" Cobra® Water Pump and Pliers Wrench Set

Component	Description	Handles
86 03 250	10" Chrome Pliers Wrench	plastic dipped
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic



00 20 72 V04 XS 2-Piece Mini Pliers Set in Belt Pouch

Component	Description	Handles
86 04 100	4" Pliers Wrench XS	texturized
87 00 100	4" Cobra XS Water Pump Pliers	texturized

# Plumbing Sets



**9K 00 80 150 US** 5-Piece Core Pliers Set in Tool Roll

Component	Description	Handles
<b>13 71 8</b>	8" Forged Wire Stripper 20-10 AWG	plastic dipped
<b>74 01 250</b>	10" High Leverage Diagonal Cutters	plastic dipped
<b>82 01 200</b>	8" TwinGrip Pliers	non-slip plastic
<b>86 01 250</b>	10" Black Pliers Wrench	non-slip plastic
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic



**9K 00 80 156 US** 3-Piece Top Selling Pliers Set

Component	Description	Handles
<b>82 01 200</b>	8" TwinGrip Pliers	non-slip plastic
<b>86 01 180</b>	7 1/4" Black Pliers Wrench	non-slip plastic
<b>87 01 180</b>	7 1/4" Cobra Water Pump Pliers	non-slip plastic



**9K 00 80 117 US** 3-Piece 10" Pliers Set

Component	Description	Handles
<b>74 01 250</b>	10" High Leverage Diagonal Cutters	plastic dipped
<b>86 03 250</b>	10" Chrome Pliers Wrench	plastic dipped
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic




**9K 00 80 94 US** 4-Piece Special Pliers Set

Component	Description	Handles
<b>03 01 200</b>	8" Combination Pliers	plastic dipped
<b>26 11 200 S1</b>	8" Long Nose Pliers with Cutter and 12 AWG Stripper	plastic dipped
<b>74 01 250</b>	10" High Leverage Diagonal Cutters	plastic dipped
<b>87 01 250</b>	10" Cobra Water Pump Pliers	non-slip plastic



# Meet KNIPEX

KNIPEX concentrates its efforts on being the best pliers manufacturer in terms of quality, innovation and efficiency and its pliers satisfy the highest expectations in terms of performance, ergonomics and service life.



- > Largest manufacturer of professional quality pliers worldwide
- > Over 140 years of experience
- > Company is family owned by fourth generation
- > All manufacturing processes, including forging, design and packaging take place in our German facility
- > Strive for continuous innovation for new and existing products, setting new benchmarks in the industry to make the best pliers
- > Best in class – high-quality steel, self-developed processes and machinery, quality testing and skilled personnel

## KNIPEX Tools LP

1500 Busch Parkway  
Buffalo Grove, IL 60089

Tel: 847.398.8520  
Fax: 847.398.8526

customer-service@knipex-tools.com  
©2025 KNIPEX Tools LP

KTLP02025