



KNIPEX[®]

KNIPEX Automotive Tool Catalog | www.knipex-tools.com



**KNIPEX engineers pliers
for masters of craft
who – like us –
refuse to compromise.**

Born from a history
of German innovation
and unmatched quality,
we know:
craft is honed,
trust is earned,
and precision
defines excellence.














Cobra® Water Pump Pliers



- > Push-button mechanism – adjust once and it stays
- > Self-locking on pipes and nuts means no slipping off the workpiece
- > Gripping surface with special hardened teeth (approx. 61 HRC) is wear-resistant and grips any shaped object – round, square, hex or flat
- > Fine-adjustment provides an optimum adjustment to different size workpieces
- > Pinch guard prevents operators' fingers from being pinched

Cobra Water Pump Pliers

	KNIPEX #	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	87 00 100 SBA	Cobra XS Pliers	4	1	11	texturized
	87 01 125 SBA	Cobra Pliers	5	1 1/16	13	non-slip plastic
	87 01 150 SBA	Cobra Pliers	6	1 1/4	16	non-slip plastic
	87 01 180 SBA	Cobra Pliers	7 1/4	1 1/2	18	non-slip plastic
	87 01 250 SBA	Cobra Pliers	10	2	25	non-slip plastic
	87 02 250 SBA	Cobra Pliers	10	2	25	slim comfort grip
	87 01 300 SBA	Cobra Pliers	12	2 3/4	30	non-slip plastic
	87 02 300 SBA	Cobra Pliers	12	2 3/4	30	comfort grip
	87 01 400 SBA	Cobra XL Pliers	16	3 3/4	27	plastic dipped
	87 01 560 US	Cobra XXL Pliers	22	4 3/4	20	plastic dipped



Pliers Wrenches



- > Replaces a full set of open-end wrenches
- > Available in a black finish or chrome
- > Smooth jaws for damage free installation of plated fittings – working directly on chrome
- > Excellent for gripping, holding, pressing and bending
- > Laser-etched scale allows the wrench opening to be set before gripping onto workpiece
- > Parallel jaws allow infinitely variable gripping of all widths to the specified maximum size

Pliers Wrenches

	KNIPEX #	Description	Finish	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	86 01 180 SBA	Pliers Wrench	black	7 1/4	1 1/2	15	non-slip plastic
	86 01 250 SBA	Pliers Wrench	black	10	2	19	non-slip plastic
	86 01 300 SBA	Pliers Wrench	black	12	2 1/2	24	non-slip plastic
	86 04 100 SBA	Pliers Wrench XS	chrome	4	3/4	10	texturized
	86 03 125 SBA	Pliers Wrench	chrome	5	7/8	11	plastic dipped
	86 03 150 SBA	Pliers Wrench	chrome	6	1	14	plastic dipped
	86 03 180 SBA	Pliers Wrench	chrome	7 1/4	1 1/2	15	plastic dipped
	86 05 180 SBA	Pliers Wrench	chrome	7 1/4	1 1/2	15	comfort grip
	86 03 250 SBA	Pliers Wrench	chrome	10	2	19	plastic dipped
	86 05 250 SBA	Pliers Wrench	chrome	10	2	19	slim comfort grip
	86 03 300 SBA	Pliers Wrench	chrome	12	2 1/2	24	plastic dipped
	86 03 400 SBA	XL Pliers Wrench	chrome	16	3 3/8	25	plastic dipped



TwinGrip Pliers



- > Easily grip stripped screw and bolts with the front and side gripping areas
- > Push-button adjustment – adjust once and it stays
- > Slim head design for working in confined spaces
- > Large front and side gripping capacities from 1/8" to 1 1/16"
- > Reliable gripping of flat workpieces due to the three-point system
- > Pinch guard prevents operators' fingers from being pinched
- > Durable construction due to box-joint design
- > Gripping surfaces with special hardened teeth (approx. 61 HRC)



TwinGrip Pliers

	KNIPEX #	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	82 01 150 SBA	6	1/8 – 5/8	3	non-slip plastic
	82 02 150 SBA	6	1/8 – 5/8	3	KNIPEXTEND comfort handles
	82 01 200 SBA	8	5/32 – 7/8	5	non-slip plastic
	82 02 200 SBA	8	5/32 – 7/8	5	KNIPEXTEND comfort handles
	82 01 250 SBA	10	3/16 – 1 1/16	7	non-slip plastic
	82 02 250 SBA	10	3/16 – 1 1/16	7	KNIPEXTEND comfort handles
	00 20 06 US4	3 Pc. TwinGrip Pliers Set (82 01 150, 82 01 200 and 82 01 250)			



KNIPEXTEND
TetheredTool Clips ColorCoded Clips









Push-Button Swedish Pipe Wrenches




- > Rapid adjustment design with push-button adjustment for quick and precise gripping. No unintentional shifting of the pliers handles and less effort required due to self-locking action
- > The S-Type jaw provides a 3-contact point grip that securely handles round, square, hex and flat workpieces without slipping
- > I-Beam handle style provides more strength and operating stability than a traditional pipe wrench style
- > The handles stay close together and help to maneuver in confined areas even when the jaw capacity is at its max


Swedish Pipe Wrenches w/Rapid Adjustment

	KNIPEX #	↔ inch	Capacity Ø inch	Handles
	83 60 010	13	1 5/8	–
	83 60 015	16 1/2	2 3/8	–
	83 60 020	22	2 3/4	–
	83 61 010	13	1 5/8	plastic dipped
	83 61 015	16 1/2	2 3/8	plastic dipped
	83 61 020	22	2 3/4	plastic dipped

Round



Hex



Swedish Pipe Wrenches



- > Three types of head styles available – 45°, 90° and S-Type
- > The 45° and 90° head styles permit access into tight and confining workspaces
- > The S-Type jaw provides a 3-contact point grip that securely handles round, square, hex and flat workpieces without slipping
- > Serrated adjusting nut with integrated guard prevents unthreading
- > I-Beam handle style provides more strength and operating stability than a traditional pipe wrench style
- > The handles stay close together and help to maneuver in confined areas even when the jaw capacity is at its max

45° Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 20 010	12 1/2	1 5/8
	83 20 015	17	2 3/8
	83 20 020	22 1/2	2 3/4

90° Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 10 010	12	1 5/8
	83 10 015	16	2 3/8
	83 10 020	21 3/4	2 3/4

S-Type Swedish Pipe Wrenches

	KNIPEX #	↔ inch	Capacity Ø inch
	83 30 010	12 1/2	1 5/8
	83 30 015	16 1/2	2 3/8


Hex



Square



Round






Gripping Pliers



- > Tightly holds round or flat material
- > Heavy-duty tools for long life
- > Adjustment screw and release lever for easy use
- > Perfect for one-handed operations
- > High clamping pressure due to toggle lever action
- > Universal Grip Pliers (40 14 250) has a unique bottom jaw that pivots automatically to adjust to any shape – flat, round, square and hex
- > Long Nose Grip Pliers (41 44 200) has a thin head for narrow areas and non-serrated gripping area for pinching off hoses

Gripping Pliers

	KNIPEX #	↔ inch	Gripping Capacity		
			○ Ø inch	□ Ø inch	⬡ Ø inch
	40 04 180 SBA	7 1/4	1 3/8	1	1 1/4
	40 04 250	10	1 3/8	1 3/16	1 1/4
	40 14 250 SBA	10	1 11/16	1 5/8	1 3/4
	41 14 250	10	1 27/64	–	1 27/64
	41 24 225 SBA	9	1	–	1 3/16
	41 44 200	8	13/16	13/16	1 3/16







Pipe and Connector Pliers




- > The innovative plastic inserts consist of two component materials: a soft outer layer and hard inner layer
- > Once this tool is set it stays in that position without movement until you change it, making it the ideal tool for repetitive work
- > The rounded jaws grab ahold of round pipes and connectors up to 3" diameter
- > Ideal for tightening and loosening siphon screw connections, plastic pipe fittings and round union nuts
- > The soft jaw version is an ideal tool for cannon plugs in aviation and electrical connections in high performance automotive, truck and trailer applications
- > Replaceable plastic jaws for soft surfaces with diameters up to 3"
- > For gentle loosening of hoses on nozzle
25 adjustment positions, box-joint design for high stability



Pipe and Connector Pliers

	KNIPEX #	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	81 01 250 SBA	serrated jaws	10	1 – 3 5/32	25	non-slip plastic
	81 11 250 SBA	plastic jaws	10	3/8 – 3	25	non-slip plastic
	81 19 250 V01	2 pairs of original hard red plastic inserts for 81 11 250 SBA				
	81 19 250 V02	2 pairs of soft outer and hard outer blue and red two component inserts for 81 11 250 SBA				



Clamp Pliers



Hose Clamp Pliers

- > Rotatable tips for reliably gripping hose clamps in all positions
- > Clamps can be opened and moved without much effort
- > Slim head design; narrow head fits into confined spaces
- > 85 51 250 AFSBA Comes with a lock to hold hose clamps open without holding onto the pliers

Click Clamp Pliers

- > Rotatable tips for reliably gripping click clamps in all positions
- > Clamps can be opened and closed easily without much effort
- > Serrated gripping jaws for easy loosening of tight hoses

Ear Clamp Pliers

- > Will not damage the press points on the ear clamps
- > For clamps on CV boots, coolant and fuel lines, air pressure systems, and compressors
- > 10 99 i220 SBA has an additional side jaw for easy clamping at a 90° angle when space is limited

Hose Clamp Pliers

	KNIPEX #	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	85 51 180 A SBA	7 1/4	2	15	non-slip plastic
	85 51 250 A SBA	10	2 3/4	25	non-slip plastic
	85 51 250 AFSBA	10 w/lock	2 3/4	19	non-slip plastic

Click Clamp Pliers

	KNIPEX #	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	85 51 180 C SBA	7 1/4	1 3/4	12	non-slip plastic
	85 51 250 C SBA	10	2 3/4	15	non-slip plastic

Ear Clamp Pliers

	KNIPEX #	↔ inch	Style	Handles
	10 98 i220 SBA	8 3/4	single jaw	plastic dipped
	10 99 i220 SBA	8 3/4	dual-jaw	plastic dipped





SmartGrip® Water Pump Pliers

- > Automatic adjustment for one-hand operation
- > Ideal for frequent changeovers of different sized and shaped materials
- > Non-slip handles for ease of use

Cobra QuickSet Water Pump Pliers

- > Fast adjustment on the workpiece by sliding the pliers handle
- > Reliable locking of the hinge bolt with the first workload

Raptor® Pliers


- > Has a unique jaw shape excellent for gripping objects in tight or confining spaces
- > The best pliers on rusty or rounded-off nuts and bolts

Cobra Extra-Slim (ES) Water Pump Pliers

- > Longer, narrower jaws for confined spaces
- > Front gripping serration for round parts such as screws, bolts and wire rope
- > Groove near the tip for holding nails, pins and bolts

Specialty Pliers


	KNIPEX #	Description	↔ inch	⊘ inch	⬡ inch	Adjustment Positions	Handles
	85 01 250 SBA	SmartGrip Water Pump Pliers	10	1 1/4	1 13/32	–	non-slip plastic
	87 21 250 SBA	Cobra QuickSet Water Pump Pliers	10	2	1 3/4	25	non-slip plastic
	87 22 250 SBA	Cobra QuickSet Water Pump Pliers	10	2	1 3/4	25	slim multi-component
	87 21 300 SBA	Cobra QuickSet Water Pump Pliers	12	2 3/4	2 3/64	25	non-slip plastic
	87 41 250 SBA	Raptor Pliers	10	–	3/8 – 1 1/4	15	non-slip plastic
	87 51 180 SBA	Cobra Extra-Slim (ES) Water Pump Pliers	7 1/4	1 1/4	1 1/4	18	non-slip plastic
	87 51 250 SBA	Cobra Extra-Slim (ES) Water Pump Pliers	10	1 1/2	1 3/8	25	non-slip plastic



Alligator® Water Pump Pliers



- > Self-gripping jaw design won't slip
- > Gripping surface with special hardened teeth (approx. 61 HRC) is wear-resistant and grips any shaped object – round, square, hex or flat
- > Easy access to the workpiece due to slim size in the head and joint area
- > Box-joint design provides directional stability
- > Pinch guard prevents operators' fingers from being pinched



Alligator Water Pump Pliers

	KNIPEX #	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	88 01 180 SBA	Alligator Water Pump Pliers	7 1/4	1 1/2	9	non-slip plastic
	88 02 180 SBA	Alligator Water Pump Pliers	7 1/4	1 1/2	9	comfort grip
	88 01 250 SBA	Alligator Water Pump Pliers	10	2	9	non-slip plastic
	88 02 250 SBA	Alligator Water Pump Pliers	10	2	9	slim comfort grip
	88 01 300 SBA	Alligator Water Pump Pliers	12	2 3/4	9	non-slip plastic
	88 02 300 SBA	Alligator Water Pump Pliers	12	2 3/4	9	comfort grip
	88 01 400 SBA	Alligator XL Water Pump Pliers	16	3 3/4	11	non-slip plastic



Electrical Installation Pliers



Forged Wire Strippers

- > Cuts 6-32 and 8-32 screws without threading
- > Strips 10 to 20 AWG – both solid and stranded wire
- > Shear cutting blades cut NM-B, battery cable BX and MC

4-in-1 Electrician's Pliers

- > 4 Functions in one pliers – grips, cuts, strips and crimps
- > For cutting soft, medium and hard wire

6-in-1 Electrical Installation Pliers

- > 6 Functions in one pliers – grips, cuts, strips, bends, crimps and deburrs
- > Stripping holes for 12 to 14 AWG
- > Crimp die for end sleeves (ferrules) 12 to 20 AWG

Forged Wire Strippers



	KNIPEX #	↔ inch	Stripping Capacity AWG	Cutting Capacity ⊕ inch	Handles
	13 71 8 SBA	8	10–20	1/2	plastic dipped
	13 72 8 SBA	8	10–20	1/2	KNIPEXTEND comfort handles

4-in-1 Electrician's Pliers

	KNIPEX #	↔ inch	Stripping Capacity AWG	Cutting Capacity ● inch ● inch	Crimping AWG	Handles
	13 01 614 SBA	6 1/4	10–14	3/32 1/16	14–20	plastic dipped

6-in-1 Electrical Installation Pliers

	KNIPEX #	↔ inch	Stripping Capacity AWG	Cutting Capacity ⊕ inch	Crimping AWG	Handles
	13 81 8 SBA	8	12 and 14	9/16	12–20	plastic dipped



Long Nose Pliers and Needle-Nose Combination Pliers



Long Nose Pliers

- > Elastic precision tips will not deform or bend and spring back into place
- > Serrated jaws provide a strong grip
- > Half-round, tapered jaws provide a long, thin and deep reach

Needle-Nose Combination Pliers

- > For use when working in confined areas due to the slim head design and pointed jaws (anti-twist)
- > Special convex contour provides a stable 3-point contact for secure gripping of flat parts
- > Secure 3-point gripping on flat workpieces and stable, flexible tips

Long Nose Pliers w/Cutter


	KNIPEX #	Style	↔ inch	Cutting Capacity		Handles
				● Ø inch	● Ø inch	
	26 11 200 SBA	straight	8	1/8	3/32	plastic dipped
	26 12 200 SBA	straight	8	1/8	3/32	KNIPEXTEND comfort handles

Angled Nose Pliers w/Cutter

	KNIPEX #	Style	↔ inch	Cutting Capacity		Handles
				● Ø inch	● Ø inch	
	26 21 200 SBA	40° angled	8	1/8	3/32	plastic dipped
	26 22 200 SBA	40° angled	8	1/8	3/32	KNIPEXTEND comfort handles

Needle-Nose Combination Pliers

	KNIPEX #	↔ inch	Cutting Capacity			Handles
			● Ø inch	● Ø inch	● Ø inch	
	08 21 145 SBA	5 3/4	1/8	5/64	5/16	plastic dipped
	08 22 145 SBA	5 3/4	1/8	5/64	5/16	KNIPEXTEND comfort handles
	08 21 185 SBA	7 1/4	5/32	1/8	1/2	plastic dipped
	08 22 185 SBA	7 1/4	5/32	1/8	1/2	KNIPEXTEND comfort handles





> High-strength jaws and tips bend and snap back into place

> Cross-hatched gripping surfaces, knurled

> Vanadium electric steel; forged, oil-hardened

Style 1 – Long, half-rounded jaws; cross-hatched gripping

Style 2 – 40° Angled jaws

Style 3 – S-shaped curved tips

Style 5 – 70° Angled jaws; suitable for pulling cotter pins and for hard to reach areas


Style 6 – Double bent jaws

Style 7 – 45° Angled, half-rounded jaws; suitable for gripping spark plugs and round components

Mechanics' Pliers

	KNIPEX #	↔ inch	Style	Dimensions					Handles
				L3 inch	W3 inch	T1 inch	W4 inch	T2 inch	
	38 11 200	8	1	2 7/8	11/16	3/8	1/8	3/32	plastic dipped
	38 21 200	8	2	2 7/8	11/16	3/8	1/8	3/32	plastic dipped
	38 31 200	8	3	2 7/8	11/16	3/8	1/8	3/32	plastic dipped
	38 71 200	8	5	2 7/8	11/16	3/8	1/8	5/64	plastic dipped
	38 81 200 A	8	6	2 3/4	45/64	3/8	1/8	3/32	plastic dipped
	38 81 200 B	8	6	2 3/64	45/64	3/8	1/8	3/32	plastic dipped
	38 91 200	8	7	2 7/8	11/16	3/8	–	3/32	plastic dipped

See dimensions above



High Leverage Diagonal Cutters



- > Precision-matched, induction-hardened cutting edges cut soft and hard wire
- > Heavy-duty, fixed forged on axle rivet joint ensures smooth operation
- > High-cutting performance with minimum effort due to optimum coordination of the cutting edge angle, transmission ratio and handle shape
- > No break-in period needed – smooth operation from the start

High Leverage Diagonal Cutters

	KNIPEX #	↔ inch	Cutting Capacity			Handles
			● Ø inch	● Ø inch	● Ø inch	
	74 01 140	5 1/2	1/8	5/64	1/16	plastic dipped
	74 02 140	5 1/2	1/8	5/64	1/16	comfort grip
	74 01 160 SBA	6 1/4	9/64	3/32	5/64	plastic dipped
	74 02 160	6 1/4	9/64	3/32	5/64	comfort grip
	74 01 180 SBA	7 1/4	5/32	7/64	3/32	plastic dipped
	74 02 180	7 1/4	5/32	7/64	3/32	KNIPEXTEND comfort handles
	74 01 200 SBA	8	11/64	1/8	3/32	plastic dipped
	74 02 200 SBA	8	11/64	1/8	3/32	KNIPEXTEND comfort handles
	74 01 250 SBA	10	3/16	9/64	1/8	plastic dipped
	74 02 250 SBA	10	3/16	9/64	1/8	KNIPEXTEND comfort handles



KNIPEXTEND
TetheredTool Clips ColorCoded Clips



CoBolt® Compact Bolt Cutters



- > Exceptional cutting performance: 60% less effort compared to conventional high leverage diagonal cutters
- > Induction-hardened cutting edges (approx. 64 HRC) for cutting soft, hard and piano wire
- > Cuts materials like bolts, nails, rivets, etc.
- > Micro-structured cutting edges allow easy cutting of large cross-sections
- > Gripping surface below the joint for gripping and pulling wires
- > Notch in blade allows easier cutting of thicker objects

CoBolt Compact Bolt Cutters

	KNIPEX #	↔ inch	Style	Cutting Capacity				Handles
				☉ Ø inch	◐ Ø inch	◑ Ø inch	● Ø inch	
	71 01 160 SBA	6 1/4	straight	13/64	11/64	1/8	1/8	plastic dipped
	71 31 160 SBA	6 1/4	straight w/notch	13/64	3/16	9/64	1/8	plastic dipped
	71 01 200 SBA	8	straight	1/4	13/64	5/32	9/64	plastic dipped
	71 02 200 SBA	8	straight	1/4	13/64	5/32	9/64	slim comfort grip
	71 12 200 SBA	8	straight w/spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 22 200 SBA	8	20° angled w/spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 31 200 SBA	8	straight w/notch	1/4	13/64	5/32	9/64	plastic dipped
	71 32 200	8	straight w/notch and spring	1/4	13/64	5/32	9/64	slim comfort grip
	71 41 200 SBA	8	20° angled w/notch	1/4	13/64	5/32	9/64	plastic dipped
	71 01 250 SBA	10	straight	–	7/32	5/32	5/32	plastic dipped
	71 31 250 SBA	10	straight w/notch	–	1/4	11/64	11/64	plastic dipped



Wire Rope Cutters



Bowden Cable Cutter


- > For Bowden cables and soft wire
- > Sickle shape cutting edges surround the material and prevent the wire rope from fanning out

Wire Rope Shears

- > All shears include thumb lock and opening spring
- > Cuts cleanly and evenly without wire ends splaying or fanning out
- > 6 1/4" version is considerably more powerful due to the box joint design
- > The 7 1/2" versions include two crimping dies for end caps on Bowden cable sheaths and ferrules for wire rope

Cable Cutter and Wire Rope Shears

	KNIPEX #	Description	↔ inch	Cutting Capacity Ø inch	Handles
	95 61 150 SBA	Bowden Cable Cutter	6	1/8	plastic dipped
	95 62 160 SBA	Wire Rope Shears	6 1/4	5/32	comfort grip
	95 61 190 SBA	Wire Rope Shears	7 1/2	13/64	plastic dipped
	95 62 190 SBA	Wire Rope Shears	7 1/2	13/64	comfort grip



Cable Shears



- > For cutting copper and aluminum cables
- > Precision-ground, hardened blades
- > Not suitable for steel wire and hard drawn copper
- > StepCut® Cable Shears have cutting edge gradations cut wires one after the other
- > The StepCut XL has dual cutting areas – step cutting edges position cables close to the joint and the front cutting edge is used for the gradual cutting (nibbling) of larger cables

KNIPEXTEND
Tethered Tool Clips ColorCoded Clips


Cable Shears

	KNIPEX #	↔ inch	Style	Cutting Capacity ⊕ Ø inch	AWG	Handles
	95 11 165 SBA	6 1/2	single jaw	19/32	1/0	plastic dipped
	95 21 165	6 1/2	single jaw w/opening spring and lock	19/32	1/0	plastic dipped
	95 11 200 SBA	8	double jaw	25/32	2/0	plastic dipped



StepCut Cable Shears

	KNIPEX #	↔ inch	Style	Cutting Capacity ⊕ Ø inch	AWG	Handles
	95 11 160 SBA	6 1/4	StepCut single jaw	9/16	1/0	plastic dipped
	95 11 225 SBA	9	StepCut XL double jaw	29/32	2/0	plastic dipped
	95 12 225 SBA	9	StepCut XL double jaw	29/32	2/0	KNIPEXTEND comfort handles



Electronics Super Knips® and Diagonal Flush Cutters for Plastic



Electronics Super Knips

- > Precision pliers for ultra-fine cutting work for plastics, soft wires and cable ties
- > Very precisely ground and sharp cutting edges without bevel for a flush cut

Diagonal Flush Cutters for Plastic

- > Provides a fully flush cut when cutting tie-wraps, plastic and soft metals
- > Opening spring for easy repetitive work


Electronics Super Knips

	KNIPEX #	↔ inch	Style	Handles
	78 03 125	5	straight	multi-component
	78 61 125 SBA	5	straight	multi-component
	78 03 140 SBA	5 1/2	straight	multi-component
	78 61 140	5 1/2	straight	multi-component




Diagonal Flush Cutters for Plastics

	KNIPEX #	↔ inch	Style	Handles
	72 01 140	5 1/2	straight	plastic dipped
	72 01 160	6 1/4	straight	plastic dipped
	72 01 180	7 1/4	straight	plastic dipped
	72 11 160	6 1/4	45° angled	plastic dipped
	72 21 160	6 1/4	85° angled	plastic dipped



CutiX Universal Snap Knife




- > Innovative stabilization bar keeps the blade from bending for quicker cutting
- > Two separate sliders – one for blade and one for stabilization bar
- > Uses standard 18 mm snap-off blades
- > Blades can be easily replaced without tools with just a push of the button
- > Lightweight magnesium housing with non-slip gripping surfaces
- > Two spare blades stored in the handle
- > Tether attachment point can be used with the KNIPEX Tethered Tools System



CutiX Universal Snap Knife

	KNIPEX #	↔ inch	Housing
	90 10 165 BKA	6 1/2	magnesium
	90 10 165 E01	spare stabilization bar for 90 10 165 BKA	
	90 10 165 E02	replacement blades for 90 10 165 BKA (set of 10)	













Internal Precision Snap Ring Pliers



- > Up to 10x longer service life compared to turned tips
- > For fitting internal snap rings in bore holes
- > Form-fitting inserted and pressed-in tips made of high-density spring steel
- > Available with straight or 90° angled tips
- > Non-slip plastic handles

Internal Precision Snap Ring Pliers

	KNIPEX #	↔ inch	Style	Size of Bore Ø inch
	48 11 J0	5 1/2	straight	5/16 – 1/2
	48 11 J1	5 1/2	straight	15/32 – 1
	48 11 J2	7 1/4	straight	3/4 – 2 23/64
	48 11 J3	9	straight	1 37/64 – 3 15/16
	48 11 J4	12 3/4	straight	3 11/32 – 5 1/2
	48 21 J01	5 1/8	90° angled	5/16 – 1/2
	48 21 J11	5 1/8	90° angled	15/32 – 1
	48 21 J21	6 1/2	90° angled	3/4 – 2 23/64
	48 21 J31	8 1/4	90° angled	1 37/64 – 3 15/16
	48 21 J41	12	90° angled	3 11/32 – 5 1/2




External Precision Snap Ring Pliers



- > Up to 10x longer service life compared to turned tips
- > For fitting external snap rings on shafts
- > Form-fitting inserted and pressed-in tips made of high-density spring steel
- > Available with straight or 90° angled tips
- > Non-slip plastic handles

External Precision Snap Ring Pliers

	KNIPEX #	↔ inch	Style	Size of Shaft Ø inch
	49 11 A0	5 1/2	straight	1/8 – 25/64
	49 11 A1	5 1/2	straight	25/64 – 1
	49 11 A2	7 1/4	straight	3/4 – 2 23/64
	49 11 A3	9	straight	1 37/64 – 3 15/16
	49 11 A4	13	straight	3 11/32 – 5 1/2
	49 21 A01	5 1/8	90° angled	1/8 – 25/64
	49 21 A11	5 1/8	90° angled	25/64 – 1
	49 21 A21	6 1/2	90° angled	3/4 – 2 23/64
	49 21 A31	8 1/4	90° angled	1 37/64 – 3 15/16
	49 21 A41	12 1/4	90° angled	3 11/32 – 5 1/2
	49 31 A0	5 3/4	straight w/ opening limiter	1/8 – 25/64
	49 41 A01	5 1/4	90° w/ opening limiter	1/8 – 26/64



Double-Edged Screw Extractors




- > Four-double edged cutting / gripping edges = 8 points of contact
- > Non-slip engagement removes even the toughest frozen bolts
- > Tip has built-in center punch, no additional tool required
- > For both left and right-handed threads
- > 7 Sizes available
- > Made of High Alloy German Chrome Vanadium steel for a long life

Double-Edged Screw Extractors

	KNIPEX #	Size	Drill Diameter		Driving Hex Head Size inch	Bolt Sizes	
			Min inch	Max inch		Min inch	Max inch
	9R 471 001 3	1	1/8	3/16	1/4	3/16	1/4
	9R 471 002 3	2	3/16	9/32	3/8	5/16	3/8
	9R 471 003 3	3	1/4	3/8	1/2	7/16	1/2
	9R 471 004 3	4	11/32	1/2	5/8	1/2	9/16
	9R 471 005 3	5	7/16	5/8	3/4	5/8	3/4
	9R 471 006 3	6	9/16	3/4	7/8	7/8	1
	9R 471 007 3	7	3/4	15/16	1	1	>1

8 points of contact with drilled out broken bolt



Double-Edged Screw Extractor Sets

	KNIPEX #	Description	Sizes	Packaging
	9R 471 900 3	5 Pc. Set	1 – 5	vinyl pouch
	9R 471 901 3	5 Pc. Set	1 – 5	metal case






- > Smooth plastic upper and lower jaw protectors easily snap into place and prevent damage to workpieces
- > Each set includes 3 pairs of protective jaws
- > Non-marring – offers an extra layer of protection for the Pliers Wrench and Cobra
- > Cobra Pliers jaw protectors have a smooth gripping surface and cover all the teeth

Jaw Protectors for Pliers Wrenches

KNIPEX #	Description	Compatibility
86 09 180 V01	for 7 1/4" Pliers Wrench	fits Pliers Wrenches from 2019 – present
86 09 250 V01	for 10" Pliers Wrench	fits Pliers Wrenches from 2018 – present
86 09 300 V01	for 12" Pliers Wrench	fits Pliers Wrenches from 2020 – present



Easy to install – Just snap the upper and lower jaws onto the Pliers Wrench Jaws



Non-marring – offers an extra layer of protection for the Pliers Wrench

Jaw Protectors for Cobra Pliers

KNIPEX #	Description	Compatibility
87 09 180 V01	for 7 1/4" Cobra Pliers	fits Cobra Pliers from 2010 – present
87 09 250 V01	for 10" Cobra Pliers	fits Cobra Pliers from 2007 – present
87 09 300 V01	for 12" Cobra Pliers	fits Cobra Pliers from 2008 – present



Easily snaps onto gripping jaws of the 7 1/4", 10" and 12" Cobra Pliers



The protective jaws have a smooth gripping surface and cover all the teeth on the tool



Automotive Sets



00 20 06 US1 3-Piece Cobra Water Pump Pliers Set

KNIPEX #	Description	Handles
87 01 180	7 1/4" Cobra Water Pump Pliers	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
87 01 300	12" Cobra Water Pump Pliers	non-slip plastic



9K 00 80 149 US 8-Piece Cobra Water Pump Pliers Set

KNIPEX #	Description	Handles
87 00 100	4" Cobra XS Water Pump Pliers	texturized
87 01 125	5" Cobra Water Pump Pliers	non-slip plastic
87 01 150	6" Cobra Water Pump Pliers	non-slip plastic
87 01 180	7 1/4" Cobra Water Pump Pliers	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
87 01 300	12" Cobra Water Pump Pliers	non-slip plastic
87 01 400 US	16" Cobra XL Water Pump Pliers	plastic dipped
87 01 560 US	22" Cobra XXL Water Pump Pliers	plastic dipped



00 20 06 US2 3-Piece Pliers Wrench Set

KNIPEX #	Description	Handles
86 03 180	7 1/4" Chrome Pliers Wrench	plastic dipped
86 03 250	10" Chrome Pliers Wrench	plastic dipped
86 03 300	12" Chrome Pliers Wrench	plastic dipped



00 20 72 V04 XS 2-Piece Mini Pliers Set in Belt Pouch

KNIPEX #	Description	Handles
86 04 100	4" Pliers Wrench XS	texturized
87 00 100	4" Cobra XS Water Pump Pliers	texturized

Automotive Sets



00 20 06 US4 3-Piece TwinGrip Pliers Set

KNIPEX #	Description	Handles
82 01 150	6" TwinGrip Pliers	non-slip plastic
82 01 200	8" TwinGrip Pliers	non-slip plastic
82 01 250	10" TwinGrip Pliers	non-slip plastic



9K 00 80 135 US 2-Piece Hose Clamp and Click Clamp Pliers Set

KNIPEX #	Description	Handles
85 51 250 AF	10" Hose Clamp Pliers with Lock	non-slip plastic
85 51 250 C	10" Click Clamp Pliers	non-slip plastic



9K 00 80 12 US 3-Piece Mechanics Tool Set

KNIPEX #	Description	Handles
38 31 200	8" Long Nose Pliers without Cutter-S Shape	plastic dipped
38 71 200	8" Long Nose 70° Angled Pliers without Cutter	plastic dipped
38 91 200	8" Mechanics Pliers for Spark Plug Boots	plastic dipped



9K 00 80 108 US 5-Piece Automotive Starter Tool Set

KNIPEX #	Description	Handles
26 11 200	8" Long Nose Pliers with Cutter	plastic dipped
71 31 200	8" CoBolt Compact Bolt Cutter, Notched	plastic dipped
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
95 11 200	8" Cable Shears – Double Jaw	plastic dipped

Automotive Sets



9K 00 80 136 US 4-Piece Automotive Tool Set

KNIPEX #	Description	Handles
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped
85 51 250 A	10" Spring Hose Clamp Pliers	non-slip plastic
86 03 250	10" Chrome Pliers Wrench	plastic dipped
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic



9K 00 80 168 US 12-Piece Electrical Vehicle Tool Set – 1000V in Plastic Case

KNIPEX #	Description	Handles
09 08 240 US	9 1/2" High Leverage Lineman's Pliers	1000V insulated, ASTM
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated, ASTM
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated, ASTM
98 62 01	7" Flat Nose Pliers	1000V insulated, VDE
98 62 02	8 3/4" Long Nose Pliers	1000V insulated, VDE
26 18 200 US	8" Long Nose Pliers with Cutter	1000V insulated, ASTM
26 28 200 SBA	8" Long Nose 40° Angled Pliers with Cutter	1000V insulated, ASTM
92 27 62	6" Stainless Steel Gripping Tweezers – Pointed Tips	1000V insulated
78 06 125	5" Electronics Super Knips	1000V insulated, VDE
98 66 10	3" Self-Clamping Plastic Slip-On Cap	–
98 66 20	3 7/8" Self-Clamping Plastic Slip-On Cap	–
98 66 30	4 1/4" Self-Clamping Plastic Slip-On Cap	–




9K 00 80 17 US 2-Piece Snap Ring Pliers Set – Straight

KNIPEX #	Description	Handles
44 11 J1	5 1/2" Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A1	5 1/2" External Snap Ring Pliers – Forged Tips	plastic dipped



9K 00 80 18 US 2-Piece Snap Ring Pliers Set – Straight

KNIPEX #	Description	Handles
44 11 J2	7 1/4" Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A2	7 1/4" External Snap Ring Pliers – Forged Tips	plastic dipped



00 19 58 V01 8-Piece Snap Ring Pliers Set in Tool Roll

KNIPEX #	Description	Handles
44 11 J1	5 1/2" Straight Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 11 J2	7 1/4" Straight Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 21 J11	5 1/8" 90° Angled Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 21 J21	6 3/4" 90° Angled Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A1	5 1/2" Straight External Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A2	7 1/4" Straight External Snap Ring Pliers – Forged Tips	plastic dipped
46 21 A11	5" 90° Angled External Snap Ring Pliers – Forged Tips	plastic dipped
46 21 A21	6 3/4" 90° Angled External Snap Ring Pliers – Forged Tips	plastic dipped




00 19 56 4-Piece Snap Ring Pliers Set in Tool Roll

KNIPEX #	Description	Handles
44 11 J2	7 1/4" Straight Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 21 J21	6 3/4" 90° Angled Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A2	7 1/4" Straight External Snap Ring Pliers – Forged Tips	plastic dipped
46 21 A21	6 3/4" 90° Angled External Snap Ring Pliers – Forged Tips	plastic dipped
00 19 56 LE	4 Pocket Roll-Up Tool Roll	–



00 20 03 SB 4-Piece Precision Snap Ring Pliers Set – Straight

KNIPEX #	Description	Handles
48 11 J1	5 1/2" Internal Precision Snap Ring Pliers	non-slip plastic
48 11 J2	7 1/4" Internal Precision Snap Ring Pliers	non-slip plastic
49 11 A1	5 1/2" External Precision Snap Ring Pliers	non-slip plastic
49 11 A2	7 1/4" External Precision Snap Ring Pliers	non-slip plastic



00 19 58 V02
8-Piece Precision Snap Ring Pliers Set in Tool Roll

KNIPEX #	Description	Handles
48 11 J1	5 1/2" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 11 J2	7 1/4" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 21 J11	5 1/8" 90° Angled Internal Precision Snap Ring Pliers	non-slip plastic
48 21 J21	6 1/2" 90° Angled Internal Precision Snap Ring Pliers	non-slip plastic
49 11 A1	5 1/2" Straight External Precision Snap Ring Pliers	non-slip plastic
49 11 A2	7 1/4" Straight External Precision Snap Ring Pliers	non-slip plastic
49 21 A11	5 1/8" 90° Angled External Precision Snap Ring Pliers	non-slip plastic
49 21 A21	6 1/2" 90° Angled External Precision Snap Ring Pliers	non-slip plastic

Automotive Sets



9K 00 19 51 US 4-Piece Snap Ring Pliers Set in Tool Roll – Straight

KNIPEX #	Description	Handles
44 11 J1	5 1/2" Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 11 J2	7 1/4" Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A1	5 1/2" External Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A2	7 1/4" External Snap Ring Pliers – Forged Tips	plastic dipped
00 19 56 LE	4 Pocket Roll-Up Tool Roll	–



9K 00 19 53 US 4-Piece Straight Snap Ring Pliers Set in Tool Roll – Straight

KNIPEX #	Description	Handles
44 11 J0	5 1/2" Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 11 J2	7 1/4" Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A0	5 1/2" External Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A2	7 1/4" External Snap Ring Pliers – Forged Tips	plastic dipped
00 19 56 LE	4 Pocket Roll-Up Tool Roll	–



9K 00 19 02 US 4-Piece External Snap Ring Pliers Set

KNIPEX #	Description	Handles
46 31 A02	5 1/2" 45° Angled Snap Ring Pliers – Forged Tips	plastic dipped
46 31 A12	5 1/2" 45° Angled Snap Ring Pliers – Forged Tips	plastic dipped
46 31 A22	7 1/4" 45° Angled Snap Ring Pliers – Forged Tips	plastic dipped
46 31 A32	8 1/4" 45° Angled Snap Ring Pliers – Forged Tips	plastic dipped



9K 00 19 52 US 4-Piece Snap Ring Pliers Set in Tool Roll

KNIPEX #	Description	Handles
44 11 J1	5 1/2" Straight Internal Snap Ring Pliers – Forged Tips	plastic dipped
44 21 J11	5 1/8" 90° Angled Internal Snap Ring Pliers – Forged Tips	plastic dipped
46 11 A1	5 1/2" Straight External Snap Ring Pliers – Forged Tips	plastic dipped
46 21 A11	5 1/4" 90° Angled External Snap Ring Pliers – Forged Tips	plastic dipped
00 19 56 LE	4 Pocket Roll-Up Tool Roll	–



00 20 01 V02
6-Piece Precision Snap Ring Pliers Set in Foam Tray

KNIPEX #	Description	Handles
48 11 J1	5 1/2" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 11 J2	7 1/4" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 21 J21	6 1/2" 90° Internal Precision Snap Ring Pliers	non-slip plastic
49 11 A1	5 1/2" Straight External Precision Snap Ring Pliers	non-slip plastic
49 11 A2	7 1/4" Straight External Precision Snap Ring Pliers	non-slip plastic
49 21 A21	6 1/2" 90° External Precision Snap Ring Pliers	non-slip plastic



00 19 57 4-Piece Precision Snap Ring Pliers Set in Tool Roll – Straight

KNIPEX #	Description	Handles
48 11 J1	5 1/2" Internal Precision Snap Ring Pliers	non-slip plastic
48 11 J2	7 1/4" Internal Precision Snap Ring Pliers	non-slip plastic
49 11 A1	5 1/2" External Precision Snap Ring Pliers	non-slip plastic
49 11 A2	7 1/4" External Precision Snap Ring Pliers	non-slip plastic



00 20 04 SB
8-Piece Precision Snap Ring Pliers Set

KNIPEX #	Description	Handles
48 11 J1	5 1/2" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 11 J2	7 1/4" Straight Internal Precision Snap Ring Pliers	non-slip plastic
48 21 J11	5 1/8" 90° Internal Precision Snap Ring Pliers	non-slip plastic
48 21 J21	6 1/2" 90° Internal Precision Snap Ring Pliers	non-slip plastic
49 11 A1	5 1/2" Straight External Precision Snap Ring Pliers	non-slip plastic
49 11 A2	7 1/4" Straight External Precision Snap Ring Pliers	non-slip plastic
49 21 A11	5 1/8" 90° External Precision Snap Ring Pliers	non-slip plastic
49 21 A21	6 1/2" 90° External Precision Snap Ring Pliers	non-slip plastic



9K 00 80 20 US 4-Piece Precision Snap Ring Pliers in Tool Roll

KNIPEX #	Description	Handles
48 21 J11	5 1/8" 90° Internal Angled Precision Snap Ring Pliers	non-slip plastic
48 21 J21	6 1/2" 90° Internal Angled Precision Snap Ring Pliers	non-slip plastic
49 21 A11	5 1/8" 90° External Angled Precision Snap Ring Pliers	non-slip plastic
49 21 A21	6 1/2" 90° External Angled Precision Snap Ring Pliers	non-slip plastic
00 19 56 LE	4 Pocket Roll-Up Tool Roll	–



Meet KNIPEX

KNIPEX concentrates its efforts on being the best pliers manufacturer in terms of quality, innovation and efficiency and its pliers satisfy the highest expectations in terms of performance, ergonomics and service life.



- > Made in Germany since 1882
- > One of the largest manufacturers worldwide of professional pliers
- > 4th Generation, family-owned
- > Over 1,500 styles & sizes of pliers
- > Serving the automotive, electrical, HVAC, plumbing, construction, cycling, aviation industry and more
- > High-quality steel, German engineering, continuous innovation

Cutting Symbols

	soft wire
	medium hard wire
	hard wire
	piano wire
	Cu + Al multi-conductor cable, solid and multi-stranded
	wire rope

Explore the world of KNIPEX tools



Google Play



App Store

@2026 KNIPEX Tools LP

1500 Busch Parkway
Buffalo Grove, IL 60089

Tel: 847.398.8520

Fax: 847.398.8526

customer-service@knipex-tools.com

KTLPRS0426