


See How Far Your Hands Will Take You™

KNIPEX Electrical Tools Catalog

www.knipex-tools.com



KNIPEX engineers pliers for masters of craft who – like us – refuse to compromise.

Born from a history of German innovation and unmatched quality, we know: craft is honed, trust is earned, and precision defines excellence.

Cobra® Water Pump Pliers

- Push-button mechanism – adjust once and it stays on all sizes, except the 4" version
- Self-locking on pipes and nuts means no slipping off the workpiece
- Gripping surface with special hardened teeth (approx. 61 HRC) is wear-resistant and grips any shaped object – round, square, hex or flat
- Fine-adjustment provides an optimum adjustment to different size workpieces
- Pinch guard prevents operators' fingers from being pinched
- Push-button replacements are available

	KNIPEX #	Packaging	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	**87 00 100**	X	Cobra XS Pliers	4	1	11	texturized
	**87 01 125**	X	Cobra Pliers	5	1 1/16	13	non-slip plastic
	**87 01 150**	X	Cobra Pliers	6	1 1/4	16	non-slip plastic
	**87 01 180**	X	Cobra Pliers	7 1/4	1 1/2	18	non-slip plastic
	**87 02 180**	X	Cobra Pliers	7 1/4	1 1/2	18	KNIPEXTEND comfort handles
	**87 01 250**	X	Cobra Pliers	10	2	25	non-slip plastic
	**87 02 250**	X	Cobra Pliers	10	2	25	slim comfort grip
	**87 28 250 US**	X	Cobra Pliers	10	2	24	1000V insulated, ASTM
	**87 01 300**	X	Cobra Pliers	12	2 3/4	30	non-slip plastic
	**87 02 300**	X	Cobra Pliers	12	2 3/4	30	KNIPEXTEND comfort handles
	**87 01 400 US**	X	Cobra XL Pliers	16	3 3/4	27	non-slip plastic
	**87 01 560 US**	—	Cobra XXL Pliers	22	4 3/4	20	non-slip plastic

Jaw Protectors

- Smooth plastic upper and lower jaw protectors easily snap into place and prevent damage to workpieces
- Cobra Pliers jaw protectors have a smooth gripping surface and cover all the teeth
- Each set includes 3 pairs of protective jaws

Jaw Protectors for Cobra Pliers

KNIPEX #	Packaging	Description	Compatibility
87 09 180 V01	X	for 7 1/4" Cobra Pliers	fits Cobra Pliers from 2010 – present
87 09 250 V01	X	for 10" Cobra Pliers	fits Cobra Pliers from 2007 – present
87 09 300 V01	X	for 12" Cobra Pliers	fits Cobra Pliers from 2008 – present




*See back page for more information about retail packaging

TwinGrip Pliers

- Easily grip stripped screws and bolts with the front and side gripping areas
- Push-button adjustment – adjust once and it stays
- Slim head design for working in confined spaces
- Large front and side gripping capacities from 1/8" to 1 1/16"
- Reliable gripping of flat workpieces due to the three-point system
- Pinch guard prevents operators' fingers from being pinched
- Durable construction due to box-joint design
- Gripping surfaces with special hardened teeth (approx. 61 HRC)

	KNIPEX #	Packaging	Description	←→ inch	Capacity Ø inch	Adjustment Positions	Handles
	**82 01 150**	X	TwinGrip Pliers	6	1/8 – 5/8	3	non-slip plastic
	**82 02 150**	X	TwinGrip Pliers	6	1/8 – 5/8	3	KNIPEXTEND comfort handles
	**82 01 200**	X	TwinGrip Pliers	8	5/32 – 7/8	5	non-slip plastic
	**82 02 200**	X	TwinGrip Pliers	8	5/32 – 7/8	5	KNIPEXTEND comfort handles
	**82 01 250**	X	TwinGrip Pliers	10	3/16 – 1 1/16	7	non-slip plastic
	**82 02 250**	X	TwinGrip Pliers	10	3/16 – 1 1/16	7	KNIPEXTEND comfort handles





Specialty Pliers

SmartGrip® Water Pump Pliers
- Automatic adjustment for one-hand operation
- Ideal for frequent changeovers of different sized and shaped materials

Cobra QuickSet Water Pump Pliers
- Fast adjustment on the workpiece by sliding the pliers handle
- Reliable locking of the hinge bolt with the first workload

Raptor® Pliers
- A unique jaw shape excellent for gripping objects in tight or confining spaces


Cobra Extra-Slim (ES) Water Pump Pliers
- Has long, slim and narrow jaws for getting into extra tight spaces
- Front gripping serration for round parts such as screws, bolts and wire rope

	KNIPEX #	Packaging	Description	↔ inch	○ Ø inch	⬡ Ø inch	Adjustment Positions	Handles
	**85 01 250 US**	X	SmartGrip Water Pump Pliers	10	1 1/4	1 13/32	—	non-slip plastic
	**87 21 250**	X	Cobra QuickSet Water Pump Pliers	10	2	1 3/4	25	non-slip plastic
	**87 21 300**	X	Cobra QuickSet Water Pump Pliers	12	2 3/4	2 3/64	25	non-slip plastic
	**87 22 250**	X	Cobra QuickSet Water Pump Pliers	10	2	1 3/4	25	slim multi-component
	**87 41 250**	X	Raptor Pliers	10	—	3/8 – 1 1/4	15	non-slip plastic
	**87 51 180**	X	Cobra Extra-Slim (ES) Water Pump Pliers	7 1/4	1 1/4	1 1/4	18	non-slip plastic
	**87 51 250**	X	Cobra Extra-Slim (ES) Water Pump Pliers	10	1 1/2	1 3/8	25	non-slip plastic

Pipe and Connector Pliers

- Once this tool is set it stays in that position without movement until you change it, making it the ideal tool for repetitive work
- The serrated gripping jaw version is ideal for tightening and releasing plastic pipe joints and round union nuts, from 1" to 3 5/32"
- The soft jaw version is an ideal tool for cannon plugs in aviation and electrical connections in high performance automotive, truck and trailer applications

	KNIPEX #	Packaging	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	**81 01 250**	X	serrated jaws	10	1 – 3 5/32	25	non-slip plastic
	**81 11 250**	X	plastic jaws	10	3/8 – 3	25	non-slip plastic

	**81 19 250 V01**	2 pairs of original hard red plastic inserts for 81 11 250
	**81 19 250 V02**	2 pairs of inserts with blue soft outer layer and red firm inner layer for 81 11 250

Alligator® Water Pump Pliers

- Self-gripping jaw design won't slip
- Gripping surface with special hardened teeth (approx. 61 HRC) is wear resistant and grips any shaped object – round, square, hex or flat
- Easy access to the workpiece due to slim size in the head and joint area
- Box-joint design provides directional stability
- Pinch guard prevents operators' fingers from being pinched

	KNIPEX #	Packaging	Description	↔ inch	Capacity Ø inch	Adjustment Positions	Handles
	**88 01 180**	X	Alligator Water Pump Pliers	7 1/4	1 1/2	9	non-slip plastic
	**88 02 180**	X	Alligator Water Pump Pliers	7 1/4	1 1/2	9	KNIPEXTEND comfort handles
	**88 01 250**	X	Alligator Water Pump Pliers	10	2	9	non-slip plastic
	**88 02 250**	X	Alligator Water Pump Pliers	10	2	9	slim comfort grip
	**88 08 250 US**	X	Alligator Water Pump Pliers	10	2	9	1000V insulated, ASTM
	**88 01 300**	X	Alligator Water Pump Pliers	12	2 3/4	9	non-slip plastic
	**88 02 300**	X	Alligator Water Pump Pliers	12	2 3/4	9	KNIPEXTEND comfort handles
	**88 01 400**	X	Alligator XL Water Pump Pliers	16	3 3/4	11	non-slip plastic

Round



Square



Hex



Flat





Pliers Wrenches

- Replaces a full set of open-end wrenches
- Available in a black finish or chrome
- Smooth jaws for damage free installation of plated fittings – working directly on chrome
- Push-button adjustment – adjust once and it stays, except on the 4" version
- Laser-etched scale allows the wrench opening to be set before gripping onto workpiece (7 1/4" – 12" versions only)
- Parallel jaws allow infinitely variable gripping of all widths to the specified maximum size

	KNIPEX #	Packaging	Description	↔ inch	Finish	Capacity Ø inch	Adjustment Positions	Handles
	**86 04 100**	X	Pliers Wrench XS	4	chrome	3/4	10	texturized
	**86 03 125**	X	Pliers Wrench	5	chrome	7/8	11	plastic dipped
	**86 03 150**	X	Pliers Wrench	6	chrome	1	14	plastic dipped
	**86 05 150**	—	Pliers Wrench	6	chrome	1	14	KNIPEXTEND comfort handles
	**86 01 180**	X	Pliers Wrench	7 1/4	black	1 1/2	15	non-slip plastic
	**86 02 180**	—	Pliers Wrench	7 1/4	black	1 1/2	15	KNIPEXTEND comfort handles
	**86 03 180**	X	Pliers Wrench	7 1/4	chrome	1 1/2	15	plastic dipped
	**86 05 180**	X	Pliers Wrench	7 1/4	chrome	1 1/2	15	KNIPEXTEND comfort handles
	**86 01 250**	X	Pliers Wrench	10	black	2	19	non-slip plastic
	**86 02 250**	X	Pliers Wrench	10	black	2	19	slim comfort grip
	**86 03 250**	X	Pliers Wrench	10	chrome	2	19	plastic dipped
	**86 05 250**	X	Pliers Wrench	10	chrome	2	19	slim comfort grip
	**86 06 250 US**	X	Pliers Wrench	10	chrome	2	19	1000V insulated, VDE
	**86 01 300**	X	Pliers Wrench	12	black	2 1/2	24	non-slip plastic
	**86 03 300**	X	Pliers Wrench	12	chrome	2 1/2	24	plastic dipped
	**86 03 400 US**	X	XL Pliers Wrench	16	chrome	3 3/8	25	plastic dipped

Jaw Protectors

- Smooth plastic upper and lower jaw protectors easily snap into place and prevent damage to workpieces
- Each set includes 3 pairs of protective jaws



Jaw Protectors for Pliers Wrenches

KNIPEX #	Packaging	Description	Compatibility
86 09 180 V01	X	for 7 1/4" Pliers Wrench	fits Pliers Wrenches from 2019 – present
86 09 250 V01	X	for 10" Pliers Wrench	fits Pliers Wrenches from 2018 – present
86 09 300 V01	X	for 12" Pliers Wrench	fits Pliers Wrenches from 2020 – present

Long Nose Pliers

Long Nose Pliers with Cutters

- Elastic precision tips will not deform or bend and will spring back into place
- Serrated jaws provide a strong grip
- Half-round, tapered jaws provide a long, thin and deep reach

	KNIPEX #	Packaging	Description	↔ inch	Style	Cutting Capacity ◑ Ø inch	Cutting Capacity ◕ Ø inch	Handles
	**26 11 200**	X	Long Nose Pliers w/Cutter	8	straight	1/8	3/32	plastic dipped
	**26 11 200 S1**	X	Long Nose Pliers w/Cutter and 12 AWG Stripping Hole	8	straight	1/8	3/32	plastic dipped
	**26 12 200**	X	Long Nose Pliers w/Cutter	8	straight	1/8	3/32	KNIPEXTEND comfort handles
	**26 18 200 US**	X	Long Nose Pliers w/Cutter	8	straight	1/8	3/32	1000V insulated, ASTM
	**26 21 200**	X	Angled Long Nose Pliers w/Cutter	8	40° angled	1/8	3/32	plastic dipped
	**26 22 200**	X	Angled Long Nose Pliers w/Cutter	8	40° angled	1/8	3/32	KNIPEXTEND comfort handles
	**26 28 200 SBA**	X	Angled Long Nose Pliers w/Cutter	8	40° angled	1/8	3/32	1000V insulated, ASTM


Extra Long Needle-Nose Pliers

- Long slim design perfect for gripping and assembly work in hard to reach areas
- Available with straight or 45° angled jaws

	KNIPEX #	Packaging	Description	↔ inch	Style	Capacity Ø inch	Handles
	**28 71 280**	X	Extra Long Needle-Nose Pliers	11	straight	2 1/4	non-slip plastic
	**28 81 280**	X	Extra Long Needle-Nose Pliers	11	45° angled	2 1/4	non-slip plastic













Needle-Nose Combination Pliers

- For use when working in confined areas due to the slim head design and pointed jaws (anti-twist)
- Special convex contour provides a stable 3-point contact for secure gripping of flat parts
- Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled

	KNIPEX #	Packaging	Description	↔ inch	Cutting Capacity ◑ Ø inch	Cutting Capacity ◕ Ø inch	Cutting Capacity ⊛ Ø inch	Handles
	**08 21 145**	X	Needle-Nose Combination Pliers	5 3/4	1/8	5/64	5/16	plastic dipped
	**08 22 145**	X	Needle-Nose Combination Pliers	5 3/4	1/8	5/64	5/16	KNIPEXTEND comfort handles
	**08 28 145 US**	X	Needle-Nose Combination Pliers	5 3/4	1/8	5/64	5/16	1000V insulated, ASTM
	**08 21 185**	X	Needle-Nose Combination Pliers	7 1/4	5/32	1/8	1/2	plastic dipped
	**08 22 185**	X	Needle-Nose Combination Pliers	7 1/4	5/32	1/8	1/2	KNIPEXTEND comfort handles
	**08 28 185 US**	X	Needle-Nose Combination Pliers	7 1/4	5/32	1/8	1/2	1000V insulated, ASTM



High Leverage Lineman's Pliers

- High leverage design requires 50% less effort compared to conventional combination pliers due to an optimized transmission ratio
- Effective cross-hatched knurled gripping zone in the jaws for strong gripping and pulling
- Cutting edges for soft and hard wire, nails and piano wire, cutting edge hardness (approx. 64 HRC)

	KNIPEX #	Packaging	Description	↔ inch	Cutting Capacity ◑ Ø inch	Cutting Capacity ◕ Ø inch	Handles
	**09 01 240**	X	High Leverage Lineman's Pliers	9 1/2	3/16	1/8	plastic dipped
	**09 02 240**	X	High Leverage Lineman's Pliers	9 1/2	3/16	1/8	KNIPEXTEND comfort handles
	**09 08 240 US**	X	High Leverage Lineman's Pliers	9 1/2	3/16	1/8	1000V insulated, ASTM
	**09 11 240**	X	High Leverage Lineman's Pliers w/Crimper and Fish Tape Puller	9 1/2	3/16	1/8	plastic dipped
	**09 12 240**	X	High Leverage Lineman's Pliers w/Crimper and Fish Tape Puller	9 1/2	3/16	1/8	KNIPEXTEND comfort handles







Electrical Installation Pliers

Forged Wire Strippers

- Cuts 6-32 and 8-32 screws without threading
- Strips 20 – 10 AWG – both solid and stranded wire
- Shear cutting blades cut NM-B, battery cable BX and MC

	KNIPEX #	Packaging	Description	↔ inch	Stripping Capacities AWG	Cutting Capacity ⊛ Ø inch	Handles
	**13 71 8**	X	Forged Wire Stripper	8	20 – 10	1/2	plastic dipped
	**13 72 8**	X	Forged Wire Stripper	8	20 – 10	1/2	KNIPEXTEND comfort handles
	**13 78 8 SBA**	X	Forged Wire Stripper	8	20 – 10	1/2	1000V insulated, ASTM

4-in-1 Electricians' Pliers

- 4 Functions in one pliers – grips, cuts, strips and crimps
- For cutting soft, medium and hard wire
- Precision stripping holes and crimping die for ferrules (end sleeves)


	KNIPEX #	Packaging	Description	↔ inch	Stripping Capacities AWG	Cutting Capacity ◑ Ø inch	Cutting Capacity ◕ Ø inch	Crimping Capacities AWG	Handles
	**13 01 614**	X	4-in-1 Electricians' Pliers	6 1/4	14 – 10	3/32	1/16	20 – 14	plastic dipped


6-in-1 Electrical Installation Pliers

- 6 Functions in one pliers – grips, cuts, strips, bends, crimps and deburrs
- Stripping holes for 14 and 12 AWG
- Crimp die for end sleeves (ferrules) 20 – 12 AWG

	KNIPEX #	Packaging	Description	↔ inch	Stripping Capacities AWG	Cutting Capacity ⊛ Ø inch	Crimping Capacities AWG	Handles
	**13 81 8**	X	6-in-1 Electrical Installation Pliers	8	14 and 12	9/16	20 – 12	plastic dipped
	**13 82 8**	X	6-in-1 Electrical Installation Pliers	8	14 and 12	9/16	20 – 12	KNIPEXTEND comfort handles
	**13 88 8 US**	X	6-in-1 Electrical Installation Pliers	8	14 and 12	9/16	20 – 12	1000V insulated, ASTM











Crimpers


- **PreciForce® Crimping Pliers** for Insulated Terminals, Plug Connectors and Butt Connectors for Ferrules
- **Self-Adjusting Crimping Pliers for Ferrules (Side Loading)** self-adjusting crimper for ferrules of various diameters
- **Twistor®16 Self-Adjusting Crimping Pliers For Wire Ferrules** combines the features of a front and side crimper into 1 tool
- **Crimping Pliers** for cutting cables, stripping wire, crimping insulated terminals, cable connectors and plug-type connectors
- **Manual Crimping Pliers for Ferrules** easy crimping due to optimized transmission plug-type connectors

	KNIPEX #	Packaging	Description	←→ inch	Crimp Style	Capacity mm²	Capacity AWG	Handle Style
	**97 52 36**	—	PreciForce Crimping Pliers For Insulated Terminals, Plug Connectors and Butt Connectors	8 1/2	oval	0.5 – 6.0	20 – 10	multi-component
	**97 53 04**	—	Self-Adjusting Crimping Pliers for Wire Ferrules	7	square	0.08 – 10 / 16	28 – 8 / 6	multi-component
	**97 53 14**	—	Self-Adjusting Crimping Pliers for Wire Ferrules	7 1/4	hex	Up to 0.08 mm² (single) Up to 16 mm² (twin)	Up to 6 AWG (single) Up to 8 AWG (twin)	multi-component
	**97 53 18**	—	Twistor16 Self-Adjusting Crimping Pliers For Wire Ferrules	8	square	0.14 – 16.0	26 – 6	multi-component
	**97 22 240**	—	Crimping Pliers	9 1/2	F crimp oval	Red - 1.5, Blue - 2.5, Yellow - 6.0	Red - 16, Blue - 14, Yellow - 10	multi-component
	**97 72 180**	—	Manual Crimping Pliers for Wire Ferrules	7 1/4	U-shape	0.25 – 16.0	26 – 6	KNIPEXTEND comfort handles











Wire Strippers

- **ErgoStrip®** for metric wire only. Strips NYM cable 8 – 13 mm, coax 4.8 – 7.5 mm, Cat 5 – 7, PV cable 12 and 20, Twisted-Pair (UTP/STP) and conductors and strands 0.2, 0.3, 0.8, 1.5, 2.5 and 4.0 mm^2
- **ErgoStrip PV (Photovoltaic)** can strip weather-resistant and tough PV cables for 4 and 6 mm^2 (12 and 10 AWG)
- **Self-Adjusting Wire Strippers** for single, multi and fine-stranded conductors with plastic or rubber insulation; especially useful with **THHN** coated wire
- **MultiStrip®** automatic adjustment to all single, multi and fine-stranded conductors
- **Automatic Precision Insulation Wire Strippers** form-fit stripping of standard and difficult-to-remove insulating materials made of PTFE, silicone, Radox®, Kapton® and rubber including multi-layer insulations
- **ComStrip Automatic Wire Strippers** for single, multi and fine-stranded cables of 24 – 10 AWG
- **Automatic Flat Cable Stripper** for UF and flat cable from 14-18 AWG
- **Automatic Control Cable Stripper** for control and sensor cables / actuator cables, also for stripping flexible 3-core feed cables and extension cable


Radox® is a registered trademark of HUBER+SUHNER • Kapton® is a registered trademark of E. I. du Pont de Nemours and Company

	KNIPEX #	Packaging	Description	↔ inch	Stripping Capacities AWG	Handles
	**16 95 01 SB**	X	ErgoStrip Universal Dismantling Tool, Right-Handed	5 1/4	—	multi-component
	**16 95 02 SB**	X	ErgoStrip Universal Dismantling Tool, Left-Handed	5 1/4	—	multi-component
	**16 95 03 SB**	X	ErgoStrip PV (Photovoltaic)	5 1/4	12 and 10	multi-component
	**12 40 200**	—	Self-Adjusting Wire Stripper	8	32 – 8	plastic
	**12 42 195**	—	MultiStrip 10 Automatic Stripper	7 3/4	32 – 8	plastic
	**12 12 13**	—	Automatic Precision Insulation Wire Stripper	7 3/4	20 – 10	multi-component
	**12 12 14**	—	Automatic Precision Insulation Wire Stripper	7 3/4	26 – 16	multi-component
	**12 62 180**	X	ComStrip Automatic Wire Stripper	7 1/4	24 – 10	plastic
	**12 64 180**	X	Automatic Flat Cable Stripper	7 1/4	18 – 14	plastic
	**12 74 180 SB**	X	Automatic Control Cable Stripper	7 1/4	4.4 – 7.0 mm	plastic












High Leverage Diagonal Cutters

- Precision-matched, induction-hardened cutting edges cut soft, hard wire and piano wire
- High cutting performance with minimum effort due to optimum coordination of the cutting edge angle, transmission ratio and handle shape
- No break-in period needed – smooth operation from the start

	KNIPEX #	Packaging	↔ inch	Style	Cutting Capacity ◑ Ø inch	Cutting Capacity ◕ Ø inch	Cutting Capacity ● Ø inch	Handles
	**74 01 140**	—	5 1/2	straight	1/8	5/64	1/16	plastic dipped
	**74 02 140**	—	5 1/2	straight	1/8	5/64	1/16	comfort grip
	**74 01 160**	X	6 1/4	straight	9/64	3/32	5/64	plastic dipped
	**74 02 160**	—	6 1/4	straight	9/64	3/32	5/64	comfort grip
	**74 01 180**	X	7 1/4	straight	5/32	7/64	3/32	plastic dipped
	**74 02 180**	—	7 1/4	straight	5/32	7/64	3/32	KNIPEXTEND comfort handles
	**74 01 200***	X	8	straight	11/64	1/8	3/32	plastic dipped
	**74 02 200***	X	8	straight	11/64	1/8	3/32	KNIPEXTEND comfort handles
	**74 08 200 US***	X	8	straight	11/64	1/8	3/32	1000V insulated, ASTM
	**74 21 200***	X	8	12° angled	11/64	1/8	3/32	plastic dipped
	**74 22 200***	X	8	12° angled	11/64	1/8	3/32	KNIPEXTEND comfort handles
	**74 01 250**	X	10	straight	3/16	9/64	1/8	plastic dipped
	**74 02 250**	X	10	straight	3/16	9/64	1/8	KNIPEXTEND comfort handles
	**74 08 250 US**	X	10	straight	3/16	9/64	1/8	1000V insulated, ASTM
	**74 21 250**	X	10	12° angled	3/16	9/64	1/8	plastic dipped
	**74 22 250**	X	10	12° angled	3/16	9/64	1/8	KNIPEXTEND comfort handles


* New Diagonal Design

At KNIPEX, we take great pride in offering a diverse range of high-quality diagonal cutters and we're excited to transition these tools to a new design with a riveted joint that is closer to the cutting edges and requires 20% less cutting effort than our previous version.

You can easily identify the new version with a diagonal KNIPEX forging vs. the horizontal one.


This is a gradual transition and the 8"diagonal cutters will be first, followed by the 10" versions and finally the remainder of the product family.

We appreciate your enthusiasm and patience as we work to enhance your experience with our tools!



CoBolt® Compact Bolt Cutters

- Exceptional cutting performance: 60% less effort compared to conventional high leverage diagonal cutters
- Induction-hardened cutting edges (approx. 64 HRC) for cutting soft, hard and piano wire
- Cuts materials like bolts, nails, rivets, etc.
- Micro-structured cutting edges allow easy cutting of large cross-sections
- Gripping surface below the joint for gripping and pulling wires
- Available with notch in blade for easier cutting of thicker objects
- The 71 01 200 R with reduced cutting edge hardness to allow more pressure on the sides of the cutting edges (e.g. for fences)

	KNIPEX #	Packaging	↔ inch	Style	Cutting Capacity ◔ Ø inch	◑ Ø inch	◕ Ø inch	● Ø inch	Handles
	**71 01 160**	X	6 1/4	straight	13/64	11/64	1/8	1/8	plastic dipped
	**71 31 160**	X	6 1/4	straight w/notch	13/64	3/16	9/64	1/8	plastic dipped
	**71 01 200**	X	8	straight	1/4	13/64	5/32	9/64	plastic dipped
	**71 01 200 R**	X	8	straight for fencing	15/64	13/64	5/32	—	plastic dipped
	**71 02 200**	X	8	straight	1/4	13/64	5/32	9/64	slim comfort grip
	**71 12 200**	X	8	straight w/spring	1/4	13/64	5/32	9/64	slim comfort grip
	**71 21 200**	X	8	20° angled	1/4	13/64	5/32	9/64	plastic dipped
	**71 22 200**	X	8	20° angled w/spring	1/4	13/64	5/32	9/64	slim comfort grip
	**71 31 200**	X	8	straight w/notch	1/4	13/64	5/32	9/64	plastic dipped
	**71 32 200**	—	8	straight w/notch and spring	1/4	13/64	5/32	9/64	slim comfort grip
	**71 41 200**	X	8	20° angled w/notch	1/4	13/64	5/32	9/64	plastic dipped
	**71 01 250**	X	10	straight	—	7/32	5/32	5/32	plastic dipped
	**71 31 250**	X	10	straight w/notch	—	1/4	11/64	11/64	plastic dipped







Cable Shears

- For cutting copper and aluminum cables
- Precision-ground, hardened blades
- Not suitable for steel wire and hard drawn copper
- StepCut® Cable Shears have cutting edge gradations that cut wires one after the other for a clean cut
- The StepCut XL has dual cutting areas – the front cutting edge is used for the gradual cutting (nibbling) of larger cables, the step cutting edges position cables close to the joint

	KNIPEX #	Packaging	Description	←→ inch	Style	Cutting Capacity Ø inch	AWG	Handles
	**95 11 165**	X	Cable Shears	6 1/2	single jaw	19/32	1/0	plastic dipped
	**95 12 165**	X	Cable Shears	6 1/2	single jaw	19/32	1/0	KNIPEXTEND comfort handles
	**95 18 165 US**	X	Cable Shears	6 1/2	single jaw	19/32	1/0	1000V insulated, ASTM
	**95 21 165**	—	Cable Shears	6 1/2	single jaw w/opening spring and lock	19/32	1/0	plastic dipped
	**95 11 200**	X	Cable Shears	8	double jaw	25/32	2/0	plastic dipped
	**95 12 200**	X	Cable Shears	8	double jaw	25/32	2/0	KNIPEXTEND comfort handles
	**95 18 200 SBA**	X	Cable Shears	8	double jaw	25/32	2/0	1000V insulated, ASTM

	KNIPEX #	Packaging	Description	←→ inch	Style	Cutting Capacity Ø inch	AWG	Handles
	**95 11 160**	X	StepCut Cable Shears	6 1/4	single jaw	9/16	1/0	plastic dipped
	**95 12 160**	X	StepCut Cable Shears	6 1/4	single jaw	9/16	1/0	KNIPEXTEND comfort handles
	**95 18 160 US**	X	StepCut Cable Shears	6 1/4	single jaw	9/16	1/0	1000V insulated, ASTM
	**95 11 225**	X	StepCut XL Cable Shears	9	double jaw	29/32	2/0	plastic dipped
	**95 12 225**	X	StepCut XL Cable Shears	9	double jaw	29/32	2/0	KNIPEXTEND comfort handles
	**95 18 225 US**	X	StepCut XL Cable Shears	9	double jaw	29/32	2/0	1000V insulated, ASTM







Wire Rope Cutters

Bowden Cable Cutter
- For Bowden cables and soft wire
- Sickle shape cutting edges surround the material and prevent the wire rope from fanning out

Wire Rope Shears
- All shears include thumb lock and opening spring
- Cuts cleanly and evenly without wire ends splaying of fanning out
- 6 1/4" version is considerably more powerful due to the box-joint design
- The 7 1/2" versions include two crimping dies for end caps on Bowden cable sheaths and ferrules






	KNIPEX #	Packaging	Description	↔ inch	Cutting Capacity Ø inch	Handles
	**95 61 150 US**	X	Bowden Cable Cutter	6	1/8	plastic dipped
	**95 62 160**	X	Wire Rope Shears	6 1/4	5/32	comfort grip
	**95 61 190**	X	Wire Rope Shears	7 1/2	13/64	plastic dipped
	**95 62 190**	X	Wire Rope Shears	7 1/2	13/64	comfort grip

Ratcheting Cable Cutters

- For cutting copper and aluminum cables, single and multiple-stranded wire. Not suitable for steel wire and wire ropes
- One-hand operation using ratchet principle
- Minimal hand force required due to very high transmission ratio

	KNIPEX #	Packaging	Description	↔ inch	Cutting Capacity Ø inch	Handles
	**95 31 250 SBA**	X	Ratcheting Cable Cutters	10	1 1/4	multi-component
	**95 31 280 SBA**	X	Ratcheting Cable Cutters	11	2 3/64	multi-component





Slim Knips

- Manage zip ties without changing tools - convenient tightening, flush cutting and large opening width
- Unique slim design can reach into tighter areas compared to current 78 series

	KNIPEX #	Packaging	Description	↔ inch	Cutting Edge	Finish	Handles
	**78 03 150 SBA**	X	INOX Stainless Steel Slim Knips	6	without bevel	polished	plastic
	**78 03 150 V01 SBA**	X	INOX Stainless Steel Slim Knips with Tool Holster	6 1/4	without bevel	polished	plastic
	**78 61 150 SBA**	X	Black Slim Knips	6	without bevel	burnished	plastic
	**78 61 150 V01 SBA**	X	Black Slim Knips Slim Knips with Tools Holster	6 1/4	without bevel	burnished	plastic
	**78 09 LE**	X	Slim Knips Tool Holster empty	4	—	plastic	—

Super Knips®

- Precision pliers for ultra fine cutting work
- Precisely ground and sharp cutting edges


	KNIPEX #	Packaging	Description	↔ inch	Cutting Edge	Finish	Handles
	**78 03 125**	—	Electronics Super Knips	5	flush	polished	multi-component
	**78 06 125**	—	Electronics Super Knips	5	flush	polished	1000V insulated, VDE
	**78 13 125**	—	Electronics Super Knips	5	flush	polished	multi-component
	**78 61 125**	X	Electronics Super Knips	5	flush	black-oxide	multi-component
	**78 61 125 ESD**	—	Electronics Super Knips	5	flush	black-oxide	ESD multi-component
	**78 71 125**	—	Electronics Super Knips	5	flush	black-oxide	multi-component
	**78 03 140**	X	Electronics Super Knips	5 1/2	flush	polished	multi-component
	**78 61 140 ESD**	—	Electronics Super Knips	5 1/2	flush	black-oxide	ESD multi-component













CutiX Universal Snap Knife

- Innovative stabilization bar keeps the blade from bending for quicker cutting
- Two separate sliders – one for blade and one for stabilization bar
- Uses standard 18 mm snap-off blades
- Blades can be easily replaced without tools with just a push of the button
- Lightweight magnesium housing with non-slip gripping surface
- Two spare blades stored in the handle
- Tether attachment point can be used with the KNIPEX Tethered Tools System





Magnesium housing with non-slip gripping surfaces



Flat sliders prevent unintentional advancement of blade



Two spare blades stored in the handle

	KNIPEX #	Packaging	↔ inch	Housing
	**90 10 165 BKA**	X	6 1/2	magnesium
	90 10 165 E01	—	Spare stabilization bar for 90 10 165 BKA	
	**90 10 165 E02**	—	Replacement blades for CutiX 90 10 165 BKA (set of 10)	

Knives

- Back of the blades are plastic coated to avoid short circuits
- Thumb recess and finger hook at the end of the handle

	KNIPEX #	Packaging	Description	↔ inch	Blade Length ↔ inch	Handles
	**98 52**	—	Cable Knife	7 1/2	1 31/32	1000V insulated, VDE
	**98 54**	X	Cable Knife	7 1/2	1 31/32	1000V insulated, VDE
	**98 55**	X	Dismantling Knife with Guide Shoe	7	1 1/2	1000V insulated, VDE
	**98 56**	—	Cable Knife with Guard	7 1/4	1 31/32	1000V multi-component grips, VDE
	**16 20 50 SB**	X	Electricians' Folding Knife	7 3/4 (open)	3 1/4	durable shock-resistant plastic
	**16 50 145 SBA**	X	Ratcheting Knife	5 3/4	1 1/2	multi-component
	**16 40 150**	—	Dismantling Tool	6	—	plastic

Shears

- Precision-ground blades with fine serrations for a clean, non-slip cut
- Adapted to the hand; angled blades and optimized handle design for easier use

	KNIPEX #	Packaging	Description	↔ inch	Head	Style	Handles
	**95 05 10 SBA**	X	Electricians' Shears with Crimper	6 1/4	polished	straight, crimper	multi-component, fiberglass reinforced plastic
	**95 05 20 US**	—	Angled Electricians' Shears	6 1/4	polished	45° angled, spring, 2 crimpers	multi-component, fiberglass reinforced plastic
	**95 05 155 SBA**	X	Electricians' Shears	6 1/4	polished	straight	multi-component, fiberglass reinforced plastic

Pipe Cutters

TubiX® Pipe Cutters

- QuickLock single-handed quick adjustment (except for 90 31 01 SBA) enables the cutting wheel to slide to any pipe diameter with a single press of the thumb
- Cuts copper, brass, stainless, and high-grade steel quickly and easily
- Cutting wheel made of high-grade ball-bearing steel, spare wheel stored in handle for quick replacement

BiX Pipe Cutter

- Cuts high temperature drain pipes, sealing sleeves, unreinforced plastic and electrical plastic conduit
- Cuts pipes cleanly without shavings

	KNIPEX #	Packaging	Description	↔ inch	Cutting Capacity	
					Ø inch	Ø mm
	**90 31 01 SBA**	X	TubiX S	3	1/8 – 1 1/8	3 – 30
	**90 31 02 SBA**	X	TubiX	7 1/4	1/4 – 1 3/8	6 – 35
	**90 31 03 BKA**	X	TubiX XL	10 1/4	1/4 – 3	6 – 76
	**90 22 10 BKA**	X	BiX Pipe Cutter	2 3/4	Cuts 3/4" to 2"	
	**90 31 03 E01**	—	Replacement deburring tool for 90 31 03 BKA			
	**90 39 02 V01**	—	Replacement cutting wheel and needle bearing, works on all three tools (not the BiX)			
	**90 39 02 V02**	—	Replacement deburring tool for 90 31 02 SBA			
	**90 39 02 V03**	—	Replacement set of 5 cutting wheels and needle bearings, works on all three tools (not the BiX)			

Control Cabinet Keys

TwinKey® Universal Control Cabinet Key


- 10 Profiles, 2 crosses, 1 key – for all common locking systems
- For the actuation of locking systems; heating and sanitation, air conditioning, electrotechnology, gas and water supply, and shut-off systems
- Reversible bit included: slot 3/64 x 9/32" (1.0 x 7 mm) and PH2 cross slot




KNIPEX #	Packaging	Description	↔ inch	mm	mm	mm	mm	mm
00 11 01	X	TwinKey Universal Control Cabinet Key	3 3/4	5 / 6 – 7 / 8 – 9 / 10 – 11	7 – 8 / 9 – 10 / 11 – 12	3 – 5	6	6 – 10

Control Cabinet and Universal Keys

- Control cabinet keys for all standard cabinets and shut-off systems
- Multifunctional keys for actuation of locking systems to use with control cabinets and shut-off systems for the supply of gas, water and electricity



KNIPEX #	Packaging	Description	↔ inch	mm	mm	mm	mm
00 11 02	X	Control Cabinet Key	1 3/4	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	3 – 5
00 11 03	X	Control Cabinet Key	3	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	—
00 11 04	X	Profi-Key Control Cabinet Key	3 1/2	5 / 7 / 8	9 – 10	—	6 – 10





KNIPEX #	Packaging	Description	↔ inch	mm	mm	mm	mm	mm
00 11 06	X	Universal Control Cabinet Key	3 1/2	5 / 6 / 7 – 8 / 9 – 10	7 – 8 / 9 – 10 / 11	3 – 5	6	—
00 11 06 V01	X	Universal Key Construction	3 1/2	5 / 6 / 7 – 8 / 9 – 10	7 – 8 / 9 – 10 / 11	3 – 5	6	6 – 9
00 11 06 V03	X	Control Cabinet Key Doublejoint	5	5 / 6 / 7 – 8	7 / 8 – 9	3 – 5	—	—
00 11 07	X	Universal Control Cabinet Key - Pen Style	6 1/2	5 / 6 / 8	9	3 – 5	—	—





Punches and Chisels

- **Center Punches** are great for exact marking of a drill point and guidance of the drill bit to prevent the bolt from walking
- **Cold Chisels** feature a hand ground sharpened edge designed to cut and shear cold metal

	KNIPEX #	Packaging	Description	←→ inch
	9R 430 100 KUS	X	Center Punch	7/64 x 4
	9R 430 120 KUS	X	Center Punch	5/32 x 4 3/4
	9R 431 120 KUS	X	Center Punch	3/16 x 4 3/4
	9R 434 150 KUS	X	Center Punch	15/64 x 6
	9R 360 202 KUS	X	Cold Chisel	3/8 x 8
	9R 361 202 KUS	X	Cold Chisel	1/2 x 8
	9R 362 202 KUS	X	Cold Chisel	9/16 x 8
	9R 350 200 KUS	X	Cold Chisel	7/8 x 8





Punches and Chisels Sets

9R 430 004 4 Pc. Center Punch Set

KNIPEX #	Description
9R 430 100 KUS	Center Punch
9R 430 120 KUS	Center Punch
9R 431 120 KUS	Center Punch
9R 434 150 KUS	Center Punch




9R 350 004 4 Pc. Cold Chisel Set

KNIPEX #	Description
9R 360 202 KUS	Cold Chisel
9R 361 202 KUS	Cold Chisel
9R 362 202 KUS	Cold Chisel
9R 350 200 KUS	Cold Chisel



1000V Insulated Screwdrivers

- Handle design prevents rolling
- Chrome vanadium molybdenum steel

	KNIPEX #	Description	Tip Type	Blade Width ↔ inch	Blade Thickness ↔ inch	Shaft Length ↔ inch	Overall Length ↔ inch
	**98 20 25**	3/32" x 3" Slotted Screwdriver		3/32	1/64	3	7
	**98 20 30**	7/64" x 4" Slotted Screwdriver		7/64	1/64	4	8
	**98 20 35**	1/8" x 4" Slotted Screwdriver		1/8	1/64	4	8
	**98 20 40**	5/32" x 4" Slotted Screwdriver		5/32	1/32	4	8
	**98 20 55**	7/32" x 5" Slotted Screwdriver		7/32	1/32	5	9 1/8
	**98 20 65**	1/4" x 6" Slotted Screwdriver		1/4	3/64	6	10 3/8
	**98 20 80**	5/16" x 7" Slotted Screwdriver		5/16	3/64	7	11 5/8
	**98 24 00**	P0 x 2 3/8" Phillips Screwdriver	P0	—	—	2 3/8	6 3/8
	**98 24 01**	P1 x 3 1/4" Phillips Screwdriver	P1	—	—	3 1/4	7 3/8
	**98 24 02**	P2 x 4" Phillips Screwdriver	P2	—	—	4	8 3/8
	**98 24 03**	P3 x 6" Phillips Screwdriver	P3	—	—	6	10 5/8
	**98 12 01**	R1 x 3 1/8" Square Drive Screwdriver	R1	—	—	3 1/8	7 3/8
	**98 12 02**	R2 x 4" Square Drive Screwdriver	R2	—	—	4	8 3/8

1000 V
IEC 60900:2004

For more information and warnings on our 1000V Insulated Tools visit https://www.knipex-tools.com/insulated

Specialty Insulated

Plastic Pliers

- Fully insulated to reduce the risk of short circuit
- For meter assembly and meter blocking
- Constructed of fiberglass reinforced plastic
- Handles have a soft plastic for a better grip

	KNIPEX #	Packaging	Description	↔ inch	Handles
	**98 62 01**	—	Flat Nose Piers	7 1/4	1000V insulated, VDE
	**98 62 02**	—	Long Nose Pliers	8 3/4	1000V insulated, VDE

Self-Clamping Plastic Slip-On Caps

- Used for covering bare live cable ends
- Made of 1000V insulated plastic

	KNIPEX #	Packaging	Description	Length ↔ inch	Inside Diameter ↔ inch
	**98 66 10**	—	Slip-On Cap	3 1/8	5/8
	**98 66 20**	—	Slip-On Cap	4	1
	**98 66 30**	—	Slip-On Cap	4 3/8	1 3/8

Insulating Mats and Clamps

- For added protection when working live or close to live parts
- Constructed of rubber for 1000V insulated

	KNIPEX #	Packaging	Description	Dimensions ↔ inch	Thickness ↔ inch
	**98 64 02**	—	Composite Plastic Clamp	6	–
	**98 67 05**	—	Insulated Mat	20 x 20	3/64
	**98 67 10**	—	Insulated Mat	40 x 40	3/64

Insulated Tethered Tools

- **Effective protection against accidents caused by falling tools**
- **Tether attachment on the VDE-insulated handles**




- Tools can be secured to prevent falling during use with cherry pickers, scaffolding and ladders
- Tether attachment mount point is integrated securely to the handle
- Not to be used on a lanyard of 5 feet or more
- Flat mounting point does not get in the way
- Maximum tool load for adapter or lanyard is 3.3 lbs.
- For use with the KNIPEX Tethered System

For more information on the KNIPEX Tethered Lanyards and Adapters please go to **www.knipex-tools.com/products/tethered-tools**

Long Nose Pliers with Cutters

- Hardened cutting edges (approx. 61 HRC) for soft, medium-hard and hard wire
- Elastic precision tips will not deform or bend and will spring back into place
- 26 26 200 T series with 40° angled tips for hard to reach spaces
- Pliers body is chrome plated
- Insulated, multi-component grips with tether attachment, VDE-tested handles

KNIPEX #	Packaging	↔ inch	Style	Cutting Capacities ◑ Ø inch	Cutting Capacities ◕ Ø inch
26 16 200 T	X	8	straight	1/8	3/32
26 26 200 T	X	8	40° angle	1/8	3/32



Diagonal Cutting Pliers

- Precision-matched, induction-hardened cutting edges (approx. 61 HRC) for cutting soft and hard wire
- Clean cutting of thin copper wires, even at the tips of the cutting blade
- Pliers body is chrome plated
- Insulated, multi-component grips with tether attachment, VDE-tested handles

KNIPEX #	Packaging	↔ inch	Style	Cutting Capacities ◔ Ø inch	Cutting Capacities ◑ Ø inch	Cutting Capacities ◕ Ø inch
70 06 160 T	X	6 1/4	straight	5/32	1/8	5/64
70 06 180 T	X	7 1/4	straight	5/32	1/8	3/32



Please read all warnings on product packaging carefully

- Do not use on live circuits. Always switch off power
- Always wear approved eye protection
- Not PPE = Not Personal Protective Equipment
- Only for latching tools from the KNIPEX Tethered Tools range, connected and combined in accordance with this description
- Tether extends to length of around 5 feet (1.5 m)
- Rig to avoid contact with objects below
- Do not use around moving or rotating equipment
- Will not support human weight

Insulated Tethered Tools

High Leverage Diagonal Cutters

- Precision-matched, induction-hardened cutting edges (approx. 64 HRC) for cutting soft, hard and piano wire
- High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- Pliers body is chrome plated
- Insulated, multi-component grips with tether attachment, VDE-tested handles



KNIPEX #	Packaging	↔ inch	Style	Cutting Capacities ◑ Ø inch	◕ Ø inch	● Ø inch
74 06 200 T	X	8	straight	11/64	1/8	3/32
74 06 250 T	X	10	straight	3/16	9/64	1/8

Cable Shears

- For cutting copper and aluminum cables – single and multiple wire
- Precision-ground, hardened blades make cutting wires easier and more productive
- Produces a clean and smooth cut without crushing the wire
- Pliers body is chrome plated
- Insulated, multi-component grips with tether attachment, VDE-tested handles



KNIPEX #	Packaging	↔ inch	Cutting Capacities ⊛ Ø inch	AWG
95 16 165 T	X	6 1/2	19/32	1/0

Cobra Water Pump Pliers

- Grips any shaped object – round, square, hex or flat
- Push-button adjustment means that once the capacity is set, it stays set
- Pinch guard protects against finger and hand pinching
- Pliers body is chrome plated
- Insulated, multi-component grips with tether attachment, VDE-tested handles



KNIPEX #	Packaging	↔ inch	Adjustment Positions	○ Ø inch	⬡ Ø inch
87 26 250 T	X	10	24	2	1 3/4

Insulated Sets



9K 98 98 27 US 7 Pc. Pliers and Screwdriver Tool Set in Tool Roll

KNIPEX #	Description	Handles
26 18 200 US	8" Long Nose Pliers with Cutter	1000V insulated
74 08 200 US	8" High Leverage Diagonal Cutters	1000V insulated
02 08 225 US	9" High Leverage Combination Pliers	1000V insulated
88 08 250 US	10" Alligator Water Pump Pliers	1000V insulated
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated
98 20 65	1/4" x 6" Slotted Screwdriver	1000V insulated
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated



9K 98 98 30 US 10 Pc. Pliers and Screwdriver Tool Set in Hard Case

KNIPEX #	Description	Handles
95 18 165 US	6 1/2" Cable Shears	1000V insulated
26 18 200 US	8" Long Nose Pliers with Cutter	1000V insulated
74 08 200 US	8" High Leverage Diagonal Cutter	1000V insulated
02 08 225 US	9" High Leverage Combination Pliers	1000V insulated
88 08 250 US	10" Alligator Water Pump Pliers	1000V insulated
98 12 02	R2 x 4" Square Drive Screwdriver	1000V insulated
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated
98 20 65	1/4" x 6" Slotted Screwdriver	1000V insulated
98 24 01	P1 x 3 1/4" Phillips Screwdriver	1000V insulated
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated



9K 98 98 32 US 5 Pc. Screwdriver Set

KNIPEX #	Description	Handles
98 20 25	3/32" x 3" Slotted Screwdriver	1000V insulated
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated
98 20 55	7/32" x 5" Slotted Screwdriver	1000V insulated
98 24 01	P1 x 3 1/4" Phillips Screwdriver	1000V insulated
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated



9K 98 98 33 US 6 Pc. Screwdriver Set

KNIPEX #	Description	Handles
98 20 25	3/32" x 3" Slotted Screwdriver	1000V insulated
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated
98 20 55	7/32" x 5" Slotted Screwdriver	1000V insulated
98 20 65	1/4" x 6" Slotted Screwdriver	1000V insulated
98 24 01	P1 x 3 1/4" Phillips Screwdriver	1000V insulated
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated



9K 00 80 168 US 12 Pc. Electrical Vehicle Set – 1000V in Plastic Case

KNIPEX #	Description	Handles
09 08 240 US	9 1/2" High Leverage Lineman's Pliers	1000V insulated
98 20 40	5/32" x 4" Slotted Screwdriver	1000V insulated
98 24 02	P2 x 4" Phillips Screwdriver	1000V insulated
98 62 01	7" Flat Nose Plastic Pliers	1000V insulated
98 62 02	8 3/4" Long Nose Plastic Pliers	1000V insulated
26 18 200 US	8" Long Nose Pliers with Cutter	1000V insulated
26 28 200 SBA	8" Long Nose 40° Angled Pliers with Cutter	1000V insulated
92 27 62	6" Stainless Steel Gripping Tweezers – Pointed Tips	1000V insulated
78 06 125	5" Electronics Super Knips	1000V insulated
98 66 10	3" Self-Clamping Plastic Slip-On Cap	—
98 66 20	4" Self-Clamping Plastic Slip-On Cap	—
98 66 30	4 3/8" Self-Clamping Plastic Slip-On Cap	—

Sets



00 20 06 US1 3 Pc. Cobra Water Pump Pliers Set

KNIPEX #	Description	Handles
87 01 180	7 1/4" Cobra Water Pump Pliers	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
87 01 300	12" Cobra Water Pump Pliers	non-slip plastic



00 20 07 US1 3 Pc. Alligator Pliers Set

KNIPEX #	Description	Handles
88 01 180	7 1/4" Water Pump Pliers	non-slip plastic
88 01 250	10" Water Pump Pliers	non-slip plastic
88 01 300	12" Water Pump Pliers	non-slip plastic



00 20 06 US2 3 Pc. Pliers Wrench Set

KNIPEX #	Description	Handles
86 03 180	7 1/4" Chrome Pliers Wrench	plastic dipped
86 03 250	10" Chrome Pliers Wrench	plastic dipped
86 03 300	12" Chrome Pliers Wrench	plastic dipped



00 20 06 US3 3 Pc. Black Pliers Wrench Set

KNIPEX #	Description	Handles
86 01 180	7 1/4" Pliers Wrench	non-slip plastic
86 01 250	10" Pliers Wrench	non-slip plastic
86 01 300	12" Pliers Wrench	non-slip plastic

Sets



9K 00 80 189 US 2 Pc. Cobra ES (Extra-Slim) Set

KNIPEX #	Description	Handles
87 51 180	7 1/4" Cobra ES Pliers	non-slip plastic
87 51 250	10" Cobra ES Pliers	non-slip plastic



00 20 06 US4 3 Pc. TwinGrip Pliers Set

KNIPEX #	Description	Handles
82 01 150	6" TwinGrip Pliers	non-slip plastic
82 01 200	8" TwinGrip Pliers	non-slip plastic
82 01 250	10" TwinGrip Pliers	non-slip plastic



00 20 05 US 3 Pc. High Leverage Diagonal Cutter Set

KNIPEX #	Description	Handles
74 01 160	6 1/4" High Leverage Diagonal Cutter	plastic dipped
74 21 200	8" Angled High Leverage Diagonal Cutter	plastic dipped
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped



9K 00 80 158 US 3 Pc. Electrical Set

KNIPEX #	Description	Handles
13 71 8	8" Forged Wire Stripper	plastic dipped
09 01 240	9 1/2" High Leverage Lineman's Pliers	plastic dipped
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped

Sets



00 20 72 V04 XS 2 Pc. Mini Pliers Set in Belt Pouch

KNIPEX #	Description	Handles
86 04 100	4" Pliers Wrench XS	texturized
87 00 100	4" Cobra XS Water Pump Pliers	texturized



00 20 72 V01 2 Pc. Mini Pliers in Belt Pouch – Cobra and Pliers Wrench

KNIPEX #	Description	Handles
87 01 125	5" Cobra Water Pump Pliers	non-slip plastic
86 03 150	6" Pliers Wrench	plastic dipped



9K 00 80 117 US 3 Pc. 10" Pliers Set

KNIPEX #	Description	Handles
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped
86 03 250	10" Chrome Pliers Wrench	plastic dipped
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic

Sets



9K 00 80 128 US 2 Pc. XL Long Needle-Nose Pliers Set with Keeper Pouch

KNIPEX #	Description	Handles
28 71 280	11" Extra Long Needle-Nose Pliers Straight Jaws	non-slip plastic
28 81 280	11" Extra Long Needle-Nose Pliers 45° Angled	non-slip plastic



00 19 55 S5 5 Pc. Cobra Pliers Set in Tool Roll

KNIPEX #	Description	Handles
87 01 125	5" Cobra Water Pump Pliers	non-slip plastic
87 01 150	6" Cobra Water Pump Pliers	non-slip plastic
87 01 180	7 1/4" Cobra Water Pump Pliers	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic
87 01 300	12" Cobra Water Pump Pliers	non-slip plastic



00 19 55 S4 5 Pc. Pliers Wrench Set in Tool Roll

KNIPEX #	Description	Handles
86 03 125	5" Pliers Wrench	plastic dipped
86 03 150	6" Pliers Wrench	plastic dipped
86 03 180	7 1/4" Pliers Wrench	plastic dipped
86 03 250	10" Pliers Wrench	plastic dipped
86 03 300	12" Pliers Wrench	plastic dipped



9K 00 80 150 US 5 Pc. Core Pliers Set in Tool Roll

KNIPEX #	Description	Handles
13 71 8	8" Forged Wire Stripper	plastic dipped
74 01 250	10" High Leverage Diagonal Cutter	plastic dipped
82 01 200	8" TwinGrip Pliers	non-slip plastic
86 01 250	10" Pliers Wrench	non-slip plastic
87 01 250	10" Cobra Water Pump Pliers	non-slip plastic

Bags and Pouches

00 20 16 LE Electronics Zipper Case

- Fabric sewn case for holding up to six pliers and two tweezers
- Durable polyester fabric
- Zipper closure keeps contents secure
- Material: 1680D Polyester
- Dimensions: 8 1/4" L x 6 1/4" W x 1 1/2" H



9K 00 80 179 US Zipper Tool Bag 2-Pack

- Set consists of two zipper bags with carabiner (not for human support)
- One small 7 1/2" wide bag for tools, parts and accessories
- One large 14" wide bag for tools up to 12"
- Durable zipper pulls for easier opening and closing with gloves on
- Ideal storage for pliers, screwdrivers, drill bits and other essentials
- Material: 1680D Polyester
- Dimensions: Small Bag 7 1/2" L x 2" W x 5" H
  Large Bag 14" L x 2" W x 4 3/4" H

Sold as a 2-pack only



9K 00 80 178 US Stand-Up Tool Bag 3-Pack

- Bags are equipped with colored loops in red, blue and yellow for easy identification and organization of three of the most popular wire nut colors
- Set consists of three 8 1/2" length stand-up bags with a carabiner (not for human support)
- Stand-up bottom ensures stability when upright and facilitates easy access when open
- Durable zipper for easy opening and closing
- Ideal storage for wire nuts, pliers, screwdrivers, drill bits and other accessories
- Material: 1680D Polyester
- Dimensions: 8 1/2" L x 3" W x 7 1/2" H

Sold as a 3-pack only



Meet KNIPEX

KNIPEX concentrates its efforts on being the best pliers manufacturer in terms of quality, innovation and efficiency and its pliers satisfy the highest expectations in terms of performance, ergonomics and service life.



> Made in Germany since 1882
> One of the largest manufacturers worldwide of professional pliers
> 4th Generation, family-owned
> Over 1,500 styles & sizes of pliers
> Serving the automotive, electrical, HVAC, plumbing, construction, cycling, aviation industry and more
> High-quality steel, German engineering, continuous innovation

Cutting Symbols	
◔	soft wire
◑	medium hard wire
◕	hard wire
●	piano wire
❁	Cu + Al multi-conductor cable, solid and multi-stranded
◌	wire rope

For more information and warnings on our 1000V Insulated Tools visit https://www.knipex-tools.com/insulated

*Packaging Column denotes when a tool is available in retail packaging that can be hung on a hook. Please note that some tools may require a suffix to order the packaged model.

©2026 KNIPEX Tools LP

1500 Busch Parkway
Buffalo Grove, IL 60089

Tel: 847.398.8520
Fax: 847.398.8526

customer-service@knipex-tools.com

9K C318 00115-00
KTLPRS0926